

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



J. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES Cotton Quality Report



Classings Through November 29, 2007

Table 1. -- *United States*: Distribution of color, leaf and staple for upland cotton classed through November 29, 2007

				Nove	ember 29, 20					
QUALITY						STAPLE				
COLOR	LEAF	20.0	00	20	20	31	32	33	34	34 & -
COLOR		26 & - Bales	28 Bales	29 Bales	30 Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	Dales -	1	51	441	2,992	14,176	58,022	176,135	251,818
11021	3		2	127	677	3,463	12,604	37,328	93,369	147,570
	4	_	-	24	139	577	1,860	4,690	10,424	17,714
	5	-		-		27	126	239	473	865
	6	-	-	-	-	1	2	7	8	18
	7			-	-	-	1	-	1	, 2
TOTAL		-	3	202	1,257	7,060	28,769	100,286	280,410	417,987
31	1-2	-	-	11	99	752	3,042	7,675	13,035	24,614
	3	-	1	210	1,983	15,900	67,370	206,784	343,809	636,057
	4	-	2	214	1,205	6,283	23,948	78,050	167,088	276,790
	5			35	139	700	2,238	5,862	12,388	21,362
	6	-	1	7	23	88	295	583	1,065 76	2,062
TOTAL	/		4	477	3,450	10 23,733	96,916	53 299,007	537,461	961,048
41	1-2		*	2	17	23,733	1,229	2,855	3,099	7,428
41	3			99	1,247	13,538	63,863	216,734	361,956	657,437
	4			147	1,027	8,262	48,299	228,389	600,839	886,963
	5			76	344	1,593	5,909	25,615	86,718	120,255
	6	_	-	8	50	300	961	2,964	9,162	13,445
	7	-			12	77	220	531	1,256	2,096
TOTAL		-	-	332	2,697	23,996	120,481	477,088	1,063,030	1,687,624
51	1-2	-	-	-	-	18	232	371	203	824
	3	-	-	10	131	1,279	5,690	13,435	18,478	39,023
	4	-	-	8	138	1,319	6,472	23,100	50,708	81,745
	5	•	-	2	72	420	1,420	5,605	18,791	26,310
	6	-	-	4	7	78	256	878	3,773	4,996
TOTAL	7	-	-	24	240	3,128	54	182	778	1,028
TOTAL	1 2	-	-	24	348	3,120	14,124	43,571	92,731	153,926
61	1-2		-	· ·	7	24	1	25	25	1
	3 4			-	4	34 20	28 24	25 96	25 158	119 302
	5				7	1	17	65	127	210
	6		-		_	·	2	10	24	36
	7		-		-		2	-	3	5
TOTAL			-		11	55	74	196	337	673
71	1-2	-	-	- 3	-					
	3		-	-		20	1		1	2
	4	-	-	-	-	1	-	-	1	2
	5	-	-	-	-		-	2	4	6
	6 7	•	-	-	-	-	•	-	-	-
TOTAL	/	-	-	-	-	-		-	-	- 40
12 & 22	1-2	-	-	4	41	220	676	2.066	4.260	7,268
12 01 22	3		9	29	112			2,066	4,260	
	4		9	5	30	591 134	1,818 577	4,443 1,202	8,770 2,394	15,772 4,342
	5			_	4	8	28	79	337	456
	6		-	-	_	-	3	7	26	36
	7	-	-	-	-	-	- 1	-	1	1
TOTAL		•	10	38	187	953	3,102	7,797	15,788	27,875
32	1-2	-	5	4	21	156	392	587	573	1,738
	3		28	80	441	3,056	13,961	21,563	20,487	59,616
	4	-	-	74	382	1,786	7,444	14,069	19,365	43,120
	5	-	-	6	66	217	805	1,728	2,778	5,600
	6	•	-	-	5	21	126	292	395	839
TOTAL	7	-	33	164	915	5 5,241	25 22,753	38,279	60	130
42	1-2		- 33	1	13	236	1,063		43,658	111,043
42	3			32				1,392	968	3,673
	4			67	439 586	7,665 5,028	44,001 31,945	74,205 83,566	88,105	214,447
	5			48	244	817	4,496	14,847	158,314 40,157	279,506 60,609
	6	-		8	37	132	604	1,604	4,357	6,742
	7		CHILD-	1	10	30	115	179	412	747
TOTAL		-	-	157	1,329	13,908	82,224	175,793	292,313	565,724
52	1-2	-	-	1	12	92	200	233	167	705
	3		-	16	174	2,569	8,076	12,454	15,948	39,237
	4	-	-	28	220	2,505	9,271	20,988	43,672	76,684
	5	-		15	94	685	2,352	6,691	19,351	29,188
	6	-	-	1	22	191	533	1,383	3,538	5,668
	7	-	-	-	2	45	117	233	538	935
TOTAL		-	-	61	524	6,087	20,549	41,982	83,214	152,417

Table 1. -- *United States*: Distribution of color, leaf and staple for upland cotton classed through November 29, 2007

QUALITY				INOV	ember 29, 20	STAPLE				
001.00	LEAF									
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2		-	-	-			and all the	2	2
	3	-	-		1	30	71	95	121	318
	4		-		1	35	136	414	715	1,301
	5	*	-	-	-	9	55	249	581	894
	6		7.10		-	6	8	42	63	119
	7	-	-	-	2	2	12	19	11	46
TOTAL		•	-	-	4	82	282	819	1,493	2,680
13 & 23	1-2		-		1	4	24	118	231	378
	3		-	-	5	43	161	356	582	1,147
	4		-		1	5	25	80	123	234
	5		- 1		-	-		7	14	21
	6	-	-		-	-	Maria .	1	-	1
	7				-	-		_		
TOTAL		-	-		7	52	210	562	950	1,781
33	1-2		1-11	-		17	81	68	54	220
	3			1	45	465	2,019	2,030	1,196	5,756
	4			6	25	171	785	1,100	804	2,891
	5		100	1	6	22	75	115	136	355
	6		1.1			5	16	25	23	
	7				-	2	2	1	23	69
TOTAL		-	-	8	76	682	2,978	3,339	2,215	9,298
43	1-2				18	243				
40	11 11	and the same	-				489	370	215	1,335
	3		•	4	230	4,742	20,553	20,634	11,769	57,932
	4		-	13	175	2,465	13,022	19,280	16,382	51,337
	5	-	-	3	33	211	1,344	2,538	2,789	6,918
	6	-	-	1	33	67	201	356	326	984
	7		-	4	48	67	68	78	87	352
TOTAL			-	25	537	7,795	35,677	43,256	31,568	118,858
53	1-2	-	-	-	3	65	87	93	75	323
	3	11915	107	-	54	858	2,382	2,661	3,104	9,059
	4	-	-	1	62	776	2,917	5,291	8,382	17,429
	5		-	-	23	234	771	1,942	3,213	6,183
	6	-	-	-	4	28	107	364	540	1,043
	7	-	-	-	-	9	54	82	97	242
TOTAL		•	•	1	146	1,970	6,318	10,433	15,411	34,279
63	1-2	77	-	-	-	1	3	-	14	18
	3	1012	-	-	- 1	9	10	39	73	131
	4	-	1.7	1	6	34	33	138	787	999
	5	-		-	8	9	27	82	591	717
Left House Land	6	100	-		4	1	2	19	47	73
	7	-	-	-	-		1	3	6	10
TOTAL		•	-	1	18	54	76	281	1,518	1,948
24-54	1-7				7	169	502	807	1,271	2,756
25-35	1-7					_		_		
81-85 1/	1-7				15	37	45	85	361	543
All Colors	8 2/			2	17	22	74	177	236	528
TOTAL, AL	1		50	1,492	11,545	95,025	435,155	1,243,760	2,463,971	4,250,998

Table 1. -- *United States*: Distribution of color, leaf and staple for upland cotton classed through November 29, 2007

QUALITY				Novemi	per 29, 2007	STAPLE			
	LEAF								TOT.
COLOR		35	36	37	38	39	40 &+	35 to 40+	TOT
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bal
11 & 21	1-2	382,615	503,428	515,504	147,169	35,596	6,400	1,590,712	1,842,5
	3	177,795	233,542	275,251	95,407	22,484	2,021	806,500	954,0
	4	18,114	20,448	18,571	6,123	1,688	165	65,109	82,8
	5	1,039	1,249	897	228	51	5	3,469	4,3
	6	35	60	37	5	1	-	138	1:
	7	4	2	-	-	-	-	6	
TOTAL		579,602	758,729	810,260	248,932	59,820	8,591	2,465,934	2,883,92
31	1-2	18,719	20,313	32,734	18,232	15,006	5,307	110,311	134,92
	3	285,665	139,429	78,504	32,504	10,889	3,211	550,202	1,186,2
	4	194,670	112,733	57,476	20,411	5,083	447	390,820	667,6
	5	18,764	15,301	7,600	1,889	457	59	44,070	65,43
	6	1,779	1,897	1,009	104	13	2	4,804	6,80
	7	142	122	68	4			336	49
TOTAL		519,739	289,795	177,391	73,144	31,448	9,026	1,100,543	2,061,59
41	1-2	2,339	1,216	807	352	407	45	5,166	12,59
41	11 (1								
	3	289,106	123,512	56,086	14,037	1,810	106	484,657	1,142,0
	4	722,786	376,219	225,660	71,922	11,085	531	1,408,203	2,295,10
	5	163,576	124,156	71,161	19,912	3,879	288	382,972	503,2
	6	22,468	26,803	15,390	1,751	250	39	66,701	80,1
	7	3,249	4,542	3,295	314	29	7	11,436	13,5
TOTAL		1,203,524	656,448	372,399	108,288	17,460	1,016	2,359,135	4,046,75
51	1-2	62	27	14	2		-	105	9:
	3	13,838	4,716	2,523	667	30		21,774	60,79
	4	57,874	33,796	41,954	14,158	76	344	148,202	229,9
	5	37,483	36,298	36,031	10,298	1,178	42	121,330	147,6
275	6	11,441	17,356	12,071	1,536	156	14	42,574	47,57
	7	2,632	5,044	4,601	382	24	3	12,686	13,71
TOTAL		123,330	97,237	97,194	27,043	2,562	95	347,461	501,38
61	4.2	125,550	31,231	31,134	21,043	2,002	33	347,407	001,00
01	1-2	-		_		1			
	3	16	4	3	1	-	-	24	14
	4	128	79	116	22	-	-	345	64
	5	173	339	537	95	1	-	1,145	1,35
3.6	6	49	147	286	61	3	-	546	58
	7	13	21	43	16	-	-	93	9
TOTAL		379	590	985	195	4	-	2,153	2,82
71	1-2	1	-	-	-	-	-	1	
	3	1	3		-	-	-	4	
	4	1		3	3		-	7	
	5	-	1	4	1		-	6	3
	6	-	2	2	_	-		4	
	7	-	2	1		1	_	4	
TOTAL		3	8	10	4	1		26	3
12 & 22	1-2	7,004	5,671	4,658	1,040	466	192	19,031	26,29
12 0 22	II II								
	3	11,707	8,073	5,140	1,340	211	45	26,516	42,28
	4	3,289	1,825	922	211	50	1	6,298	10,64
	5	440	248	134	17	*	1	840	1,29
	6	31	15	13	1	•	-	60	9
	7	1	1	-	-			2	
TOTAL		22,472	15,833	10,867	2,609	727	239	52,747	80,62
32	1-2	452	317	744	460	534	108	2,615	4,35
	3	14,377	5,911	1,893	1,155	475	90	23,901	83,5
	4	19,371	9,794	3,010	883	223	48	33,329	76,44
	5	3,528	2,532	1,116	178	45	16	7,415	13,0
	6	496	510	213	10	2		1,231	2,0
	7	113	155	22	3			293	42
TOTAL		38,337	19,219	6,998	2,689	1,279	262	68,784	179,82
42	1-2	372	152	136	66	108	11	845	4,5
		72,521							
	3		24,155	4,620	650	147	18	102,111	316,5
	4	193,769	87,374	32,417	6,357	1,069	79	321,065	600,5
	5	66,679	42,387	16,775	4,241	974	92	131,148	191,7
	6	7,857	6,976	2,881	351	60	3	18,128	24,87
	7	851	862	432	57	5	-	2,207	2,9
TOTAL		342,049	161,906	57,261	11,722	2,363	203	575,504	1,141,22
52	1-2	88	19	8	3	1		119	82
	3	10,408	3,384	1,036	113	12	2	14,955	54,19
	4	54,507	30,387	23,719	3,681	297	14	112,605	189,28
	5	37,412	29,505	23,479	5,464	857	64		
	6	8,290	8,204	4,403	727	103		96,781	125,96
	7		1,833				5	21,732	27,40
	/ /	1,463	1,033	1,420	153	10	-	4,879	5,81
TOTAL		112,168	73,332	54,065	10,141	1,280	85	251,071	403,48

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through

QUALITY				14046111	ber 29, 2007	STAPLE			
	LEAF					01711 EE			
COLOR		35	36	37	38	39	40 &+	35 to 40+	ТОТ
00		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bal
62	1-2	405	-	1	19.		-	1	
	3 4	105	50	19	2		-	176	4
	5	619 783	695	593	66	5	-	1,978	3,2
	6	171	1,106	982	135	12	-	3,018	3,9
-	7	25	268 25	476 98	66 17	7 2	-	988	1,10
TOTAL	-	1,703	2,144	2,169	286	26	1	168 6,329	2
13 & 23	1-2	391	412	345	44	2			9,00
	3	861	704	633	145	15	1 4	1,195	1,5
160	4	157	144	81	39	2	4	2,362	3,5
13	5	13	13	14	6	2		423 46	6
	6	3	3	6	1			13	
	7	-						-	
TOTAL		1,425	1,276	1,079	235	19	5	4,039	5,82
33	1-2	96	99	82	16	1	5	299	5
	3	936	679	579	127	16	7	2,344	8,1
	4	707	517	351	116	23	3	1,717	4,6
7.0	5	202	181	121	32	13	7	556	9
	6	43	26	13		1	-	83	1
	7	9	7	2	-		-	18	
TOTAL		1,993	1,509	1,148	291	54	22	5,017	14,3
43	1-2	100	50	31	1	2	-	184	1,5
	3	5,517	1,673	514	99	25	1	7,829	65,7
	4	10,937	4,609	2,125	844	190	12	18,717	70,0
	5	2,673	1,729	774	363	144	12	5,695	12,6
	6	330	218	104	34	9	-	695	1,6
TOTAL	7	104 19,661	50 8,329	15 3,563	7 1,348	371	- 05	177	5:
53	1-2	47	8	3,363	1,340	3/1	25	33,297 59	152,15
00	3	1,910	652	274	47	40	_		3
	4	10,159	6,707	4,602	47 957	10 119	2 25	2,895	11,9
	5	6,280	5,530	4,147	934	155	14	22,569 17,060	39,99 23,24
	6	760	728	407	125	42	3	2,065	3,1
	7	119	128	101	17	12	1	378	6:
TOTAL		19,275	13,753	9,535	2,080	338	45	45,026	79,30
63	1-2	•	-	2	-	-	-	2	
	3	81	45	15		-	-	141	2
	4	822	947	587	64	4	-	2,424	3,4
	5	1,155	1,467	1,378	192	13	1	4,206	4,9
	6	170	232	242	50	8		702	7
7074	7	23	29	13	6	1	-	72	
TOTAL		2,251	2,720	2,237	312	26	1	7,547	9,49
24-54	1-7	1,329	835	626	177	60	6	3,033	5,78
25-35	1-7	470	-	400	-	-		4 570	
81-85 1/	1-7	476	550	439	59	15	40	1,579	2,12
All Colors	8 2/	2,990,126	537 2,104,750	1,608,640	63 489,618	117,853	19,662	1,424 7,330,649	1,95 11,581,64
OTAL, ALL		2,330,120	2,104,730	1,000,040	409,010		erage Staple	7,330,043	35.1
EYTDAN	EOUS MA	TTED					cent Tenderable		67.3
	- Level 1		170,614			rei	cent renderable -		07.3
	- Level 2		134						
	ss - Level 1		21,770						
	s - Level 2	- 1	215						
	- Level 1	- (1	7,892						
	- Level 2		179						
		1)	5,384						
Othe	r - Level 1	11	5,504						

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:

November 29, 2007 STAPLE QUALITY LEAF 39 40 & + TOTAL 26 & 28 29 31 33 35 36 37 COLOR 30 32 34 Pct. 15.9 0.1 0.3 1-2 0.1 0.5 1.5 3.3 4.3 4.5 13 3 0.1 0.3 0.8 1.5 2.0 2.4 0.8 0.2 8.2 0.7 0.2 02 4 0.1 0.2 11 & 21 5 6 0.5 TOTAL----5.0 6.6 7.0 2.1 0.1 24.9 0.1 0.2 0.9 2.4 0.2 0.3 0.2 0.1 1.2 0.1 0.1 0.2 1-2 0.1 10.2 0.1 1.8 0.7 0.3 0.6 3.0 2.5 1.2 3 5.8 31 4 0.2 0.7 1.4 1.7 1.0 0.5 0.2 5 0.1 0.2 0.1 0.1 0.6 0.1 6 TOTAL---4.5 1.5 17.8 0.2 4.6 2.5 0.6 0.3 0.1 0.8 2.6 1-2 0.1 9.9 2.5 1.1 0.5 0.1 0.1 0.6 19 3.1 3 41 4 0.1 0.4 2.0 5.2 6.2 3.2 1.9 0.6 0.1 19.8 5 0.2 0.7 1.4 0.6 0.2 4.3 0.7 0.1 0.2 0.2 0.1 6 0.1 5.7 TOTAL-0.2 4.1 9.2 10.4 3.2 0.9 0.2 34.9 1.0 1-2 0.1 0.2 0.1 0.5 3 4 0.1 0.2 0.4 0.5 0.3 0.4 0.1 2.0 5 0.2 0.3 0.3 0.3 0.1 1.3 0.1 0.1 0.4 6 0.1 0.1 1.1 TOTAL--0.1 0.4 0.8 0.8 0.8 0.2 4.3 1-2 3 61 4 5 6 TOTAL--1-2 3 71 4 5 6 TOTAL--0.2 1-2 0.1 3 0.1 0.1 0.1 0.4 4 5 12 & 22 0.1 6 TOTAL-0.1 0.1 0.2 0.1 0.1 0.7 1-2 3 0.1 0.2 0.2 0.1 0.7 4 32 0.1 0.1 0.2 0.1 0.2 0.7 5 0.1 6 TOTAL---0.2 0.3 0.4 0.3 0.2 0.1 1.6 1-2 3 0.1 0.4 0.6 0.8 0.6 0.2 2.7 42 4 0.7 0.3 0.3 0.8 1.4 17 5.2 5 0.1 0.3 0.6 0.4 0.1 1.7 6 0.1 0.1 0.2 TOTAL----0.1 0.7 1.5 2.5 3.0 1.4 0.5 0.1 9.9 1-2 0.1 0.1 0.1 0.1 3 0.5 52 4 0.1 0.2 0.4 0.5 0.3 0.2 1.6 5 0.1 0.2 0.3 0.3 02 1.1 6 0.1 0.1 0.2 TOTAL-0.2 0.4 0.7 0.6 0.5 1.0 0.1 3.5

^{*} Less than 0.05 percent.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							ovembe	er 29, 20	STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	1	-	-	-	911	-	7	*	-	-	-	*
00	3	-	-	-				*			*	*	*	-	-	*
62	4	-	-	-											-	*
	5	-	-	-	-										-	
5	7				*	*	*	*	*	*	*		*	*		
TOTAL					*	*	*	*	*	*	*	*	*	*	*	0.1
	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
12.95	3	-	-	-	*	*	*		*	*	*	*	*	*	*	*
13 & 23	4	-	-	11/-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-		-	15-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	7	-	-	-	-		-	-	-	-	-	*	-	-	-	-
TOTAL		•	-	•	*	*	*	*	*	*	*	*	*	*	*	*
	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
22	3	-	-		*		*	*	*		*	*		*	*	0.1
33	4	-	-													1
	5	-	-			*	*									*
	7		-	-		*	*	*	*	*	*	*	- 1			*
TOTAL	-	-		*	*	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL	1-2				*	*	*	*	*	*	*	*	*	*		*
	3			*	*	*	0.2	0.2	0.1	*		*	*	*	*	0.6
43	4			*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	*	0.6
171	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL			~	*	*	0.1	0.3	0.4	0.3	0.2	0.1	*	*	*	*	1.3
	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
53	4	-		*	*	*		1	0.1	0.1	0.1					0.3
	5	-	-	-	,				*		*	*	*	*	*	0.2
	6 7	-	-			*			*	*	*	*	*	*		*
TOTAL				*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.7
TOTAL	1-2	-	-		-	*	*	-	*	-	-	*	_	-	-	*
	3		-			*	*	*	*	*	*	*	_	-	-	*
63	4		_	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL		•	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	*	-	-	-		-	7	-	-	*	*	*
81-85 1/	1-7	-	-	-	*	*	*	*	*		*	*				*
All Colors	8 2/	-	-	*		*	*	40.7	24.2	25.0	40.2		4.2	1.0	0.2	100.0
TOTAL, ALL	TTED	•			0.1	0.8	3.8	10.7	21.3	25.8	18.2	13.9		erage Sta		35.1
XTRANEOUS MA	TIER												Perce	ent Tende	erable	67.3
Bark - Level	14	1.5											1 0100	oric rorido	JIGDIO	0.70
Bark - Level	2	*														
Grass - Level		0.2														
Grass - Level		*														
Prep - Level		0.1														
		*														
	2															
Prep - Level																

Table 3. -- *Alabama*: Percent distribution of color, leaf and staple for upland cotton classed: November 29, 2007

QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOT
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pc
	1-2	-	-	-	*		0.1	0.1	*	*		-	-	-	-	0.3
	3	-	-	*	*	0.1	0.6	1.1	0.8	0.4	0.1	*	*	•	-	3.
11 & 21	4	-	-	-		:	0.1	0.2	0.2	0.1	:	*	*	-	-	0.8
	5	-	-	-	-					-		Ĩ	1	-	-	*
	7			-					-	_	_	-				-
TOTAL	,		-	*	*	0.2	0.8	1.5	1.1	0.5	0.1	*		*		4.3
	1-2	-	-		*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	*	0.1	0.9	3.6	7.3	6.9	3.5	1.1	0.2	*	*	-	23.
31	4	-	-	*	0.1	0.8	2.8	5.4	5.9	3.7	1.3	0.4	*	*	*	20.
	. 5	-	-	*	*	0.1	0.3	0.5	0.7	0.4	0.2	0.1	*	-	-	2.3
	6 7	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
TOTAL	/	-	-	*	0.3	1.8	6.8	13.5	13.7	7.7	2.6	0.7	*	*	*	47.
TOTAL	1-2	-			0.3	*	*	*	*	*	2.0	*				*
	3			*		0.3	1.4	2.9	2.8	1.2	0.3	*	*	_		9.1
41	4			*	*	0.5	2.2	4.8	6.1	4.0	1.4	0.3	*	*	-	19.
	5	_	-	*	*	*	0.3	0.8	1.1	0.9	0.4	0.2	*	*	-	3.7
	6	-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	-	-	0.7
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.
TOTAL		-	-	*	0.1	0.9	4.1	8.7	10.2	6.3	2.2	0.6	*	*	-	33.
	1-2	-	-	*		*	*	-	*	*	*		-	-	-	0.1
51	3 4		1		*	*	0.1	0.3	0.3	0.1	*	*		*	*	0.1
31	5			_		*	*	0.1	0.1	0.1	*	*		-	_	0.4
9.0	6	-	-	-	-	*	*	*	*	*	*	*		-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL		•	•	*	*	*	0.2	0.4	0.4	0.2	0.1	*	*		-	1.4
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
04	3	-	-	-			-	-	-	-	-	-		-	-	-
61	5	-	-	-	1.7		-	-	*	-	-	-	-	-	-	*
	6							1	_							*
	7	-	-	-	4	-	*	-	-	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	*	-	*	*		-		-	-	*
	1-2	-	-	-	-	100	3.4	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*
71	4 =	-	•		-	-	-	-	-	•	-		-	-	-	
	5			- 0			-	- [- 5		1		- 1		
	7			_	1.						2	_				_
TOTAL				-	-	-	*		*	*	*	*	-		-	*
	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	-	0.4
12 & 22	4	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6 7	-	-	-	-	-		100			*	-	-	-	-	
TOTAL	/			-	*	*	0.1	0.3	0.2	0.1	*	*	-	-	-	0.7
70772	1-2		_	-	-	*	*	*	*	*	*			-		*
	3	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	*		-		1.5
32	4	-	-	*	*	0.1	0.4	0.8	0.8	0.5	0.1	*	*	-	-	2.9
	5	-	-	-		*	0.1	0.2	0.2	0.2	0.1	*	*	*	-	0.7
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
TOTAL	7	-	-	-	-	*	*	4.5	*	*	*	*	*	-	-	0.1
TOTAL	1.2	-				0.2	0.8	1.5	1.4	0.9	0.4	0.1			-	5.4
	1-2			-			0.1	0.2	0.2	0.1	*			-	-	
42	4			*	*	0.2	0.1	0.2	0.2	0.1	0.2	0.1		*		0.7 3.2
	5	-	_	*	*	*	0.1	0.3	0.4	0.3	0.2	0.1	*	*		1.4
	6	-	~	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	7	-	-	-		*	*	*	*	*	*	*	*		-	0.1
TOTAL		-	-	*	0.1	0.3	0.7	1.4	1.5	1.1	0.6	0.2	*	*		5.7
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	3	-	-	*	-		*	*	*			*	-	-	-	*
52	4 5						0.1	0.1	0.1			*		-	-	0.5
	5			Ī				0.1	0.1	*	*			-		0.3
I	6															
	6 7	-	-	-		*		*	*	*	*	*		-	0	*

Table 3. - Alabama: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	11					1	Vovemb	er 29, 20	007							
QUALITY	LEAF								STAPLE	Ξ						
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	5	-	-	-	-	-	-	-			-	•	-	-	-	*
	6		_		- 1	-	-	-		-	-	-	-	-	-	*
	7	_		_		_	_							-	-	
TOTAL		-	-		-	-	-		*	*		*	-	-		*
	1-2	-	-	-	-	-	*	*	*		-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
13 & 23	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	•	*	*	-	**	-	*
	7				-				-		-	-	-	-	1	-
TOTAL		-	-	-	*	*	*	0.1	*	*	*	*	-	-		0.2
	1-2	-	-	-	-	-	*	*	*		-	-		-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
33	4	-	-	-	*	*	*	0.1	*	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	~	-	-	0.1
	6 7	_	-	_	_					*	*	*	-	-	-	*
TOTAL		-			*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	1-2	-	-		-		*	-	*		-	-				*
	3	-	-	-	*	*	*	*	*	*	*	_		_	_	0.1
43	4	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	~	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6 7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL		-	-	-	*	*	*	0.2	0.1	0.1	*	*	*	_	-	0.5
10772	1-2	-						0.2		0.1					-	0.5
	3	_	-	-	-	*	*	*	*	*	*	_	_	_		*
53	4	-	-	-	*	*	*	*	*	*	*		-	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6 7	*	-	-	*	*	*	*	*	*	*	-	-	-	-	*
TOTAL	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-		0.2
TOTAL	1-2	-						0.7					-		-	0.2
	3	_	_	*	-	-	*	-	_	-	_	_	_	_	-	W
63	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6 7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-		-	*	*	*		-	-	-	-	-	*
24-54	1-7		-			*	*	*	*	*	*	*		-		*
25-35	1-7	_	-	-	_	-	_	_	_	-	-	-	-	-	_	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	1	-	-	-	*	*	*	-	-	-	-	*
TOTAL, ALL		•	•	*	0.5	3.6	13.9	27.8	29.1	17.1	6.2	1.7	0.1	*	*	100.0
EXTRANEOUS MA	ATTER												Ave	rage Sta nt Tende	ple	33.7
Bark - Leve	11	0.9											reice	nt rende	Table	48.6
Bark - Leve		*														
Grass - Leve	11	0.3														
Grass - Leve																
Prep - Leve	11	0.1														
Prep - Leve Other - Leve	12	*														
Other - Leve		_														
327 655	Bales cl	assed 1	/ Below	Grade Co	olor 2/ B	elow Gra	de Leaf	* Less tha	n 0 05 pe	ercent						

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							lovembe	,, 20, 20	STAPLE							
	LEAF								0.4	05	00	0.7	20	20	40.8	TOT
COLOR	-	26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	Pc
	1-2	FCI.	FCI.	-		*	0.1	1.5	8.8	23.9	22.7	10.8	1.0	*		68.
	3	-	_	-	_	-		0.1	0.9	3.0	3.8	3.1	0.7	0.1	*	11.
11 & 21	4	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*		0.0
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7074	7	-	-	-			-	-	-	- 07.4	- 00.7	- 440	4.7	- 0.4	-	81.
TOTAL	1.0	-	-	-	-	-	0.2	1.6	9.8	27.1	26.7 2.6	14.0	0.2	0.1	*	7.
	1-2						*	0.2	0.8	1.0	1.1	0.9	0.2	*	*	3.9
31	4		_	_			*	*	0.1	0.2	0.3	0.2	0.1	*	*	0.
0,	5	~	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-		-	-		*	-	-	-	-	-	*
TOTAL		•	-	-		*	0.1	0.3	1.2	3.6	4.0	2.7	0.6	0.1	*	12.
	1-2	-	-	-	-	-		*	*	0.1	0.1			-	•	0.3
41	3 4	-	-	-	-	*		*	*	0.1	0.1	*	*			0.1
4 !	5		_		-	*		*	_	*	*	*	*			*
	6	_	_	_	_	_	-	_	*	*	*	*	*	_		*
	7	-	•	-	_	_	_	-	-	*	-	*		-	-	*
TOTAL		-	•		-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	0.0
	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
51	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*		_	-	-	-	-	-	-	
	6 7			-	-	_	_						-		_	-
TOTAL	1	-	-	-	-		-	*	*	*	*	-	-	-		*
	1-2	-		-	-	-	-	-	-		-	-	-	-	-	-
	3	-	-		-	-	_	-	-	-	-	-	-	-	-	-
61	4	-	-	44	-	-	-	-	-	-	-	-	-	-	~	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	40	-	-	•	-	-	-	-	-
TOTAL	7	-	-		-		-		-		-	-	-	-	-	-
TOTAL	1-2		-								-		-	-	-	
	3	_		_		_	-		_	_	_	_				_
71	4	~		-	-	-	-	-	-	-	-	-	-	-	-	_
	5		-	-	-	-	-	-	-	- "	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-
7074/	7	-		-	-				-	-	-	-	-	-	-	-
TOTAL		-	-		-			-	- 0.4	-	-	-	*	-		-
	1-2	-	•	-	-		*	*	0.4	1.3 0.4	0.9	0.2	*	*	•	2.9
12 & 22	4	_	-	-	-	-	str.	*	*	*	0.0	*	*	*		1.0 0.3
. Dar Wil der Ger	5	_	-	-	-		_	*	*	*	*	*	*	-		*
	6	-		-	-	-	-	-	*	*	*	*	-	-		*
	7	-	-	-	-	-	-		-	-	-	-	-	-	-	-
TOTAL		-				*	*	0.1	0.6	1.7	1.6	0.4	*	*	-	4.5
	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
20	3	-	-	-	-	*			*	*	*	*	*	*	-	0.2
32	5	-	-	-	-	1	-	*	0.1	0.1	0.1	*	*	-	-	0.3
	6		-	-	-	-	_	_	*		*	_	*	_		0.1
	7	-	_	-	-	-	_	_	-		*	-	_	_		*
TOTAL				•		w	*	0.1	0.1	0.2	0.2	*	*	*	-	0.7
	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	×	*	*	*	*	~	-	*
42	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6 7	-	-	-		*	-	*	*	•		*	*	-	-	*
TOTAL		-	-			*	*	*	*	*	*	*	*	-	-	
TOTAL	1-2			•	•									•		0.2
	3			-				*	*	*		-	•	-	-	-
	4			-				*	*	*	*					
52				_	-	-	-	*	*	-	_				-	*
52	5	-														
52	5		-	-	-	-	-	*	*	-	-	-	-	-	_	*
52	1 1	-	-	-	-	-	-	-	+	-	-	-	-	-	-	*

Less than 0.05 percent.

Table 4. — Arizona: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	11					N	lovembe	er 29, 20	07 STAPLE							
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	1 10	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	•	-	-	-	-	-	-	-	~	•	-	-	-	-
62	3	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-
62	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	_	-	*	_	-	-	-	-		•	-	-	•	-	-
TOTAL	-	-		-	-	-			-				-	-		
	1-2	-			_		-		*	*	*	*		-		0.1
	3	-	-		_	_	_	*	*	*	w	*	*	-		*
13 & 23	4	-	-	-	-	-	-	_	*	*	*	*	-	_	-	w
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	~	-	-	-	-	-	-	-	-	-	-	-
	7	-	-		-	-	-	-		-	-	•	-	-	-	-
TOTAL		-	-	•	-	•	•	*	*	*	0.1	*	*			0.1
	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
33	4	-	-	-	-	-	*	*	*	*	*	*	¥	*	-	*
	5	-	-	-	-	•	-		*	*	*	•	-	-	-	
	6 7	-	-	-	-	•	-	-		*		-			_	*
TOTAL		-					*	*	*	*	*	*	*	*		*
TOTAL	1-2						-	-				-			-	-
	3		-	_		*		*	*	*	*		_			*
43	4	_	-			_	*	*	*	*	*	*	*	_	_	*
	5	-	-		_	-	-	*	*	-	_	-	-	-	-	*
	6	-	-		-	-	-	*	*	-	-		-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-		-		*	*	*	*	*	*	*	*	-	•	*
	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	~	-	-	*
53	4	-	-	*	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*		-	-	-			*
	6 7	-				_	-			_					_	
TOTAL	-	-	-	-	-		-	*	*	*		-		-	-	*
TOTAL	1-2										_		_		-	
	3			*		_	-	_	_	_	_		-	_	-	
63	4	-	_		-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	•	-	-	-	-	-	-	-
	7	-	-	-	-		•	-	-	-	-	-	-	-	-	-
TOTAL		-	-	•		-	-	•	-	-		-		-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	,-	-	-	_	•			-	_	-		
All Colors TOTAL, ALL	8 2/	-		-	-	*	0.2	2.2	11.9	33.0	32.9	17.2	2.3	0.2	*	100.0
EXTRANEOUS MA) TTED	_					0.2	2.2	11.5	33.0	02.0			erage Sta	anle	35.6
EXTRANEOUS IVIA	ATTER												Pero	ent Tende	erable	78.1
Bark - Leve	1 1	0.7														
Bark - Leve		*														
Grass - Leve		0.3														
Grass - Leve		*														
Prep - Leve	11	-														
Prep - Leve	12	-														
Other - Leve	1 1	0.3														
Other - Leve	1 1	-														
219.610	Bales o	lassed	1/ Below	Grade Co	olor, 2/ Be	low Grad	e Leaf. "	Less tha	n 0.05 pe	rcent.						

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY		Table				N Colored		er 29, 20								
COLOR	LEAF	20.0	00	20	20	24	20	22	24	25	26	37	38	39	40 & +	TOTAL
COLOR	-	26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	Pct.	35 Pct.	36 Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-			*	*	*		*	-	-	-	0.1
	3	-	-	-	-		*	*		0.1	0.1	•	*	*	•	0.3
11 & 21	4 5	-	-	-	-	•	•	*	*	*	*		- 1		-	*
	5	_	-	-		-		-		-		_	-			
	7	-	-	-	-	-	-	-	-	-	-	-		-	-	-
TOTAL-		-	-	•	-	*		*	•	0.2	0.1		•		-	0.4
	1-2	-		-		*	*	*	*	*	*	*	*	*	-	0.1 5.8
31	3 4	-				*	0.1	0.7 0.2	1.6 1.0	2.2	1.0 1.1	0.2 0.2	*	*		4.6
01	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*		0.2
	6	-	•	-	-	-	-	*	*	*	*	*	W	-	-	*
TOTAL	7		-	-	*	+	0.1	0.9	2.7	4.5	2.2	0.5	*	*	-	10.8
TOTAL	1-2			-			*	*	*	*	*	*	-		_	*
	3	-			-	*	*	0.8	3.0	4.8	2.2	0.4	*	*	-	11.3
41	4	-	-	-	-	*	0.1	1.2	6.8	14.0	6.8	1.4	0.1	*	*	30.5
	5 6	-	•	•	*	*	*	0.1	1.0 0.1	3.3 0.3	2.6 0.4	1.0 0.2	0.1	*	*	8.1 1.0
	7	_				-	*	*	*	*	*	*	*	*	_	0.1
TOTAL-				-	*	*	0.1	2.2	10.9	22.5	12.1	3.1	0.3	*	*	51.1
	1-2	-		-	•	-	*	*	*	*	*	- *	-	-	-	*
51	3 4	-		-	-	*	*	0.1	0.2	0.3 1.2	0.1 0.6	0.1	*	_	*	0.6 2.6
01	5	-			-	*	*	*	0.3	0.9	0.7	0.2	*	*	*	2.2
	6	-	-	-	-	*	*	*	*	0.3	0.3	0.1	*	*	*	0.8
TOTAL	7	-	•	-	-	*	*	0.1	1.0	2.6	0.1 1.8	0.5	0.1	*	*	0.1 6.2
TOTAL	1-2	-			-			-	-	2.0	-	-	-	-	-	-
	3	-		-	-	-	-	*	*	*	*	-	•	-	-	*
61	4	-	-	-	-	-	-	-	*	*	*	*	-	-	^	*
	5 6	-	-	-	-	-		-	_	*	*	*	-	-		*
	7	-		-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL		-	•	•	-	•	-	*	*	*	*	*	-	-	-	*
	1-2		-		-	-	-	-		-			-	-	-	-
71	4		-	_	-	-	-	-	_	-	-	_	-			-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6 7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL					-	-	-	-	•	-	-	-	-	•	-	-
	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
40.000	3	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
12 & 22	5				-	-	-		*	*	*	*	-	-	-	0.1
	6	-		-	-	-	-	-	-			-		_	-	
	7		-	-	-	-	-	-	-		-		-	-	*	-
TOTAL	12	-					*	*	0.1	0.1	*	*	-	-	-	0.3
	1-2	-	-		-	*	*	0.1	0.2	0.2	0.1	*	*	-	_	0.6
32	4	-	~	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6 7		-	•	-	-	-				*	•	*	-	-	*
TOTAL-		-	-	-	•	*	*	0.1	0.3	0.5	0.2	*	*	-	-	1.2
	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
42	3	-	-	-	*	*	0.1	0.6 0.7	1.8	2.3	0.8	0.1	*	-	-	5.7
42	4 5				*	*	V.1 *	0.7	3.1 0.6	5.2 1.5	2.2 1.0	0.2	*	*		11.5 3.4
	6	-	-		-	*	*	*	*	0.2	0.1	0.1	*	*		0.4
7071	7	-	-	-	-	-	*	*	*	W	*	*	*	*	-	*
TOTAL	1-2			-			0.2	1.4	5.6	9.2	4.1	0.6	*	*	-	21.1
	3			-	-	*	*	0.1	0.3	0.3	0.1	*	*		-	0.8
52	4		-	-	*	*	*	0.2	1.0	1.5	0.5	0.1	*	-	-	3.2
	5	-	-	-	*	*	*	*	0.4	1.0	0.5	0.1	*	*	-	2.1
	6 7	-	-	Ī	-		*	*	0.1	0.2	0.2	0.1	*	*	*	0.6 0.1
TOTAL		-	-	-	*	*	*	0.3	1.8	3.0	1.4	0.3	×	*	*	6.9
* Less than 0.05 ne	rcent															

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:

							Novemb	er 29, 20	007		фана					
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	4.0	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	~	-	:	-	-	-	7	-	-	-	-	-
62	4		-		-	-			*	*				-	-	
02	5	_	-			-			*		*		-	-	-	
	6	_	_	_	_		*	*	*	*	*	*				
	7		_	-	-	-	-	-	*	*		_	-			*
TOTAL		-	-	-	-	-	•	•		*			×	-	-	
	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	~	-	*
13 & 23	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5 6	-	-	-	-	-	-	•	-	-	-	-	-	-	-	-
	7	_	_		-	_		-		•	-	-	-	-	-	-
TOTAL-		-	-	-				*	*	*	*	-		-	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
33	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*		*	~	-	-	•	*
TOTAL-	7	-	-		-	-	*	*	*	*	*	*	-	-	-	*
TOTAL	1-2						*	*	*	*	*	*	-	-	-	
	3				-	*	*	*	0.1	0.1	*	*	*		-	0.4
43	4	-	-		-	*	*	*	0.2	0.2	0.1	*	*			0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	_	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL-		-	•		•		*	0.1	0.3	0.4	0.1	*	*	-	-	1.0 *
	1-2	-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	
53	4		-	-	_	*	*	*	0.1	0.2	0.1	*	*	*	*	0.2 0.4
	5	-	-	-	•	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*		-	*
TOTAL-		-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*	*	0.8
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	3 4	-	-	0.1	-	-	-	-	*	*	*	*	-	-		*
03	5		_	-			-	*	*	*		*			-	*
	6	-	_	-	-	-	-	*	*	*	*	-	_	-	-	*
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
TOTAL		-	-	-	•		-	*	*	÷	*	*	-	-	•	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
25-35	1-7	-	-	-	, -	-	-	-	-	-	-	-	-	-	-	-
81-85 1/ All Colors	1-7 8 2/				-	-	-	•	*	*	*	*	*	-		*
TOTAL, ALL-	0 21	-	-		*	*	0.5	5.2	23.0	43.4	22.3	5.1	0.4	*	*	100.0
EXTRANEOUS MA	TTFR			-										erage Sta	ple	35.0
Bark - Leve Bark - Leve	11	0.1												ent Tende		60.9
Grass - Leve Grass - Leve Prep - Leve	12	* *														
Prep - Leve	12	-														
Other - Leve		*														
Other - Leve		*	115.1	0 1 0	or 2/ Rel	0 1	1 7 1		0.05							

1,752,833 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- *California*: Percent distribution of color, leaf and staple for upland cotton classed:

November 29, 2007

OHALITY	П					N	lovembe	er 29, 20	007 STAPLE							
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28_	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOT
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Po
	1-2	-	-	-	-		*	0.1	0.9	4.7	10.0	20.1	10.0	4.5	1.4	51.
	3	-	-	-	-	-		*		0.7	2.0	2.6	1.5	0.7	0.2	7.
11 & 21	4	-	-	-	-	-	-	*	•		0.1	0.1	•		*	0.
	5	-	-	-	-	-	+	-	•	-	•	*	-	-	-	
	6	-	-	-	-		-	-	-	-	-	-	-	-	-	-
	7	-	-	-		-	-	-	-	-	40.4	- 00.0	44.5		4.6	59.
TOTAL		-	•	•				0.1	0.9	5.3	12.1	22.8	11.5	5.2	1.6	
	1-2	-	-	-	-	*	*	0.1	0.4	1.2	2.0	6.1	4.1	3.6	1.3	18
0.4	3	-	-	-	-	•	-	*	0.2	0.9 0.2	2.6 0.7	4.2 0.7	3.5 0.2	1.9 0.1	0.8	14
31	5	-	-	~	•	•		*		U.∠ *	0.7	0.7	*	*	*	0.
	6	_			-						*	*				*
	7					_				_	_	_		_	_	_
TOTAL	-	-				*	*	0.1	0.6	2.3	5.3	11.2	7.9	5.7	2.1	35.
	1-2						*	*	*	0.1	0.1	0.1	0.1	0.1	*	0.
	3					*		*	*	0.1	0.2	0.4	0.3	0.1	*	1.
41	4	-	_	_		_	_	_	*	0.1	0.3	0.2	*	*	*	0.
· ·	5			_	-	_	_	*	*	*	0.2	0.1	*	*	*	0.
	6	-	-	-		-	-	-	*	*	*	*	*	-	-	*
	7	-	**	-	-	-	-	-	-	-	-			-	-	-
TOTAL		-	-	-		*	*	*	0.1	0.3	0.8	0.8	0.4	0.3	*	2.
	1-2	-	-	-	-	-	-	*	*	*	*		w	-	-	*
	3	-	-	-	-	-	*	-	-	*	*	*	*	-	-	*
51	4	-	-	~	-	-	-	-	-	*	*	*	-		-	,
	5	-	-		-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-			+	*	*			-	-
TOTAL		-	-	-	•		*	*	*		*	н	*	•	•	
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	•	-	-
0.4	3	-	-	~	-	-	-	-	-	-	-	-	-	-	•	-
61	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-		-	-	-	-	-	-
	6 7	-	-	-	-	-	-	•	-	-	-	-	•	-	-	-
TOTAL							-	-	-		•		-	-		
TOTAL	1-2															
	3		_		_	-				_		_		_		_
71	4		_													
, ,	5	_						_		_						_
	6	-	_		_	_	_	_	_	_		_	_	_	_	_
	7	-	-	_		_	_	-	_	_	_	_	_	_	_	_
TOTAL		-	-	-	-	-	-	-	-	-		-			-	-
	1-2	-	-	-	-	-	-	*	*	0.1	0.1	0.4	0.1	0.1	*	0.
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.
12 & 22	4	-	-	-	-	11-1		-	-	•	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-		-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-		-	-	-	-	-	-	-	-	-
TOTAL		-	•	•	•	•	-	*	*	0.1	0.1	0.5	0.2	0.1	0.1	1.
	1-2	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	0.
	3	-	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	0.
32	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.
	5	-	-	-	-	-	-	-	-	-	•		*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-	-	-		-	-	-	-	*	- 0.4	- 0.2	- 0.2	-	-	-
TOTAL	4.0	-	-	•		•					0.1	0.2	0.3	0.3	0.1	1.
	1-2	-	-	•	-	-	-	-	*	*						0.
42	3	-		-	•	-		*	*	*	*	*	*		*	0.
42	5	-	-	-	-	-	•	*	*	*	*	*		Tr.		
	6		-							*		*	*			*
	7							_								
	/		-			-	-	*	*	*	*	0.1	0.1	0.1	*	-
TOTAL	1.2					-			*	*		U. I	0.1	0.7		0.
TOTAL	1-2	-	-	-	-	-	-	-	*							*
TOTAL	2 1	-		-							*	*				
	3				-	-	-	-	~				-		-	*
TOTAL 52	4	-								*						
	4 5	-	-	-	-	-	-	*		*		*		-	-	
	4	-	-	-	-		-	*	*	*	-	*		-	-	*

^{*} Less than 0.05 percent.

 $\label{thm:continuity} \textbf{Table 6.} - \textbf{\textit{California}} \colon \textbf{Percent distribution of color, leaf and staple for upland cotton classed:}$

011411777						N	lovembe	er 29, 20	07		apiana					
QUALITY	LEAF								STAPLE							
COLOR	LLAI	26 & -	28 Pct.	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	1-2	Pct.	PCt.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	_				-		1		*	-	-	-	-	-	
62	4	_	_						_		*	-	-	_	_	*
02	5	-	_	_	_		-	_		-	_	-	-	-	_	_
	6	-	-	-		-	_			-	_	_	_		_	_
	7	-	-	-	-	-	_	-	-	-	-	_	-	-	_	-
TOTAL			-			-			-	*	*	-	-			*
	1-2	-	-	-	-	-	-	-	-	*	-	*	*	-	*	+
	3	-	-	•	-	-	-	-	-	-	-	-	-	-	*	*
13 & 23	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL	7	-		-				-	-	*		*	*		*	*
TOTAL	1-2									*	*	*	*	*	*	*
	3		-			-				*	*	*	*	*	*	*
33	4								*	_	*	*		*	_	*
	5	_	_				_	_	_	_	-	_	_	_	_	_
	6	-	-	-	-	-	-	_	-	-	-	_	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	_	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	W	*	*	*	*
	1-2	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
	3	~	-	-	-	-	-	-	*	*	*	*	-	*	-	*
43	4	-	-	-	-	-	-	-	-	-	-	*	-		-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-			-	-	-	-	*	*	*	*		*		*
TOTAL	4.0	-			-		-									
	1-2	-	-	•	-	-	-		_			1			_	
53	4	_	-		_	-	-	_	_	-	_	_		_	_	-
30	5	_	-	_	_	_	_	-	_		-	_	-	-	-	-
	6	_	_	-	-	-	-	_	-	-	-	-	-	-	-	-
	7	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-		-	•	-	-	-			-		-	•	
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
63	4	-	-	-	-	-	-	-		*	-	_		-	_	*
	5	-	-	-	-	-	-	-	-		_	_				
	6 7	-	-	-							_	_	_	_	_	-
TOTAL	<u> </u>	-		-			-	-	*	*	-		-	-		*
24-54	1-7				_		-	-	-	-	-	*	-	-	-	*
25-35	1-7	_	-	-	_	-	_	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	-	-	*	*	*	*
All Colors	8 2/	-	-	-	,-	-	-	-		-	-	-	-	-	-	-
TOTAL, ALL		-			-	*	*	0.2	1.6	8.2	18.4	35.5	20.5	11.7	3.9	100.0
EXTRANEOUS MA	TTER													erage Sta		37.2
													Perci	ent Tende	erable	96.0
Bark - Leve	11	*														
Bark - Leve		-														
Grass - Leve		0.3														
Grass - Leve Prep - Leve		*														
Prep - Leve	12															
Other - Leve		*														
Other - Leve	11	-														
405,799	Bales	lassed.	1/ Below	Grade Co	olor. 2/ B	elow Grad	le Leaf. "	Less tha	n 0.05 per	rcent.						

Table 7. -- *Florida*: Percent distribution of color, leaf and staple for upland cotton classed:

November 29, 2007

CHALITY	11	11					Novem	ber 29, 2	2007							
QUALITY	LEAF								STAPI	LE						
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3		-	-	-	*		0.1	0.1	0.2	0.3	0.1	*	-	-	0.9
11 & 21	4	-	-	-	-		-	*	*	*	*	*	*	-	-	0.1
	5	-	-	•	-	-	-	-	*	*	-	-	-	-	-	
	6 7	_			-	-	-	-	-	-	_	-	-	-		_
TOTAL		-				*	*	0.1	0.1	0.2	0.4	0.1		-		1.0
	1-2	-	-	-	-	*	0.1	0.1	*	*	*	-	:	-		0.2
31	3 4	-	-				0.9 0.3	3.3 1.2	5.8 2.4	4.9 2.7	2.8	0.6 1.1				18.4 10.0
0,	5	-	-		-	-	*	*	0.1	*	*	*	*	-	-	0.2
	6	-	-	-	-	•	-	•	w	-	*	-	-	-	-	*
TOTAL	7	-	•	+	*	0.1	1.3	4.6	8.2	7.6	5.2	1.7	*	*	-	28.7
TOTAL	1-2			-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	*	0.1	1.3	5.3	7.9	4.2	0.9	0.1	*	*	-	19.7
41	4	-	-	-	*	0.1	1.3	6.1	14.1	11.9	3.7	0.7	*	-	-	38.1
	5	-	-	-	-		-	0.1	0.5	0.5	0.4	0.2	-	_		1.8 0.2
	7		-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL		•		-	*	0.2	2.7	11.6	22.5	16.7	5.1	1.1	*	*		59.9
	1-2	-	-	-	-	-	0.1	0.2	0.3	0.1	*	*	-		-	0.7
51	4	-		-			0.1	0.8	1.6	0.7	0.1	*		-		3.5
	5	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	6 7	-	-	-		-	_	-	*	*	*	*	-	-	•	*
TOTAL		-	•	•	-	*	0.2	1.1	2.0	0.9	0.2	0.1	*	-	-	4.5
	1-2	-	-		•	-	-	-	-	•	-	-	-	-	-	-
0.4	3	-	-	-	-	-	-	-	:	-	-	-	•	-	•	-
61	5	_	-	-	-		_	-	_	-	-	-	-	-	-	_
	6	-	-	-	-		-	_	-	-	-	-	-	-		-
7074	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
TOTAL	1-2	-	•	•	-			-		-	-	•	•	-	-	
	3	-		-	-			-	-	_	-		-	-	-	-
71	4	-	-	-	-	*	-	-	-	•	-	*	-	-	•	*
	5 6	-	-		-	-	-	-	-	-	-	-	-	-		-
	7	-	-	-	-	-		-	-	-	-	-	-	-	40	-
TOTAL		-	•	•		*	-	-	•	-	-	*	•	-		*
	1-2	-	-	•	-	-	-	*	*	-	-	-	-	-	-	- *
12 & 22	4	-	_			-	*	*	*	-	-	_	-	-	-	*
	5	-	•	-	•	-	-	-	-	-	*	-	-	-	-	*
	6 7	-	-	-	-	-	-	-	-	-		-	-	-	-	-
TOTAL		-		•	-	-	*	*	*		*					*
	1-2	-	-	-	-	-	-	-	-	-		-	-	-	-	-
32	3 4	-	-	-	*	*	0.1 0.1	0.3 0.2	0.1	*	*	- *	-	-	-	0.6
32	5			-	-	_	*	*	0.2	0.2	0.1	*	-	-		0.7 0.1
	6	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
TOTAL	7	-	-	-	*	+	0.2	0.5	0.3	0.3	0.1	*	-		-	- 45
TOTAL	1-2	-	-	-	-		-	-	0.3	-	-			-	-	1.5
	3	-	-	-	-	*	0.1	0.1	0.1	*	*	*		_		0.3
42	4	-	-	-	-	*	0.2	0.3	0.6	0.5	0.3	*	-	-	-	1.8
	5 6	-	-	-	-		*	*	0.1	0.2	0.2 *	0.1	*		-	0.7 0.1
	7	-	-	-	-	-		-	-	*	*	*	-	-		#
TOTAL		•		-	-	*	0.3	0.5	0.8	0.7	0.5	0.2	*		•	2.9
	1-2	-	-	-	-	-	-	-	*	- *	-	-	-	-	-	-
52	3 4			-	-	*	0.1	0.2	0.2	0.1				-		0.6
	5	-	-	-	*		*	*	0.1	0.1	*	•	-	-		0.0
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL	7	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	-	-	-	*
* Less than 0.05 n							0.1	0.3	0.3	0.2	0.1					0.9

Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							Novemb	per 29, 2	STAPL	.E						
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	~	-	-	-	-	-	-		-			-
	3	-	-	-	-	-	-	-	-	-	-	-		-	-	-
62	4	-	-	-	-	-		-	-	*	-	-	-	-		*
	5	-	-	-	-	-	-	-	-	-	-	-	-		-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL			-					-	•	*	-	-	-	-	-	-
	1-2	-	-	-	-	-	-	-	-	-	•		-	-	•	-
	3	-	-	-	-	•	*	-	•	-	-	-	-	-	-	*
13 & 23	4	-	-	-	-	-		-	-	-	-	-	-	-	-	~
	5	-	-	-	-	-	-	*	-	*	*	-	-	-	*	*
	6	-	-	-	~	~	-	-	-	-	-	-	-	-	•	-
TOTAL	7	-	-	-	-	-	*	*	-	*	*	-		-	-	*
TOTAL		-	•	•	•	-			-			•		•	*	
	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	•	*
22	3	-	•	-	-			*	*	*		-	-	-		0.1
33	4	-	-	•	~	-	*		*	*	*	*	•	-	-	U. 1 *
	5	-	-	-	-	-							-		_	
	6 7	-	-		_						_		_			
TOTAL		-	-	-	-	*	*	0.1	*	*	*	*		-		0.1
TOTAL	1-2							-							-	
	3	_	_	_	_		*	*	tt.	*	*	*			_	*
43	4						*	*	0.1	*	*	*	-	_		0.2
43	5			_		_	*	w	*	*	*	_	~		_	*
	6	_			_	_		-	_	_	*	-	_		-	w
	7	_	_	_	-	_	-	_		-	-	-	-	-	_	
TOTAL		-		•	-	-	*	*	0.1	0.1	*	*	-	-		0.2
	1-2	-	-	-	-	-		-	-	-	-	-	-	-	-	-
	3	-	~	-	-	-	-	*	w w	*	-	-	-	-	-	*
53	4	-	-	-	-	-	*	*	*	*	*	*	-	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7_		-	-	-	-	-	-	-	-	*	-	-	-	-	- 0.4
TOTAL		-		-	-	•	*	*	0.1				-	-		0.1
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	•	•	*
63	4	-	-	-	-	-	-	-		-	-		_	-		_
	5	-	-	-	-	-	-	-	-		_			_		_
	6	-	-	-	-	-	_	_	-		_	_	_	_		_
TOTAL	7	-	-		-	-	-	-	*	-	-		-	-	-	*
	17						*		*	*	*	-	-	-	-	*
24-54 25-35	1-7 1-7	_	-					_	_	_	_	-	_	-	-	-
25-35 81-85 1/	1-7	-	-	_	_	_	*	-		-	-	-	-	-		*
All Colors	8 2/	_		_	-	_	-	_	-	-	-	-		-	-	-
TOTAL, ALL	02	-		*	*	0.3	4.8	18.7	34.5	26.7	11.6	3.2	0.1	*		100.0
EXTRANEOUS MA	ATTER												Α	verage St	aple	34.3
DOTTO (TELOGO TO)													Per	cent Tend	erable	61.3
Bark - Leve	11	0.6														
Bark - Leve		-														
Grass - Leve		0.2														
Grass - Leve		-														
Prep - Leve		*														
Prep - Leve		-														
Other - Leve	11	-														

81,622 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. *Less than 0.05 percent

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	-							er 29, 20	STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	тот
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Po
	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.
44.0.04	3	-	-	•		*		0.1	0.2	0.3	0.1			•	-	0
11 & 21	5	_	-	_	_	_	_	_	*	_	_	_		_	-	
	6	-	-		-	-	-		-		-	-	-	-	-	
	7	-	-	-	-	-	*	-			-		-		-	
TOTAL		-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	•	-	0.
	1-2	-	-	*	*	*	*	0.1	0.1 9.5	0.1 8.3	2.5	0.3		*	-	26
31	3 4		_	*	*	0.2	1.0 0.1	4.6 0.5	1.6	2.4	2.5 1.3	0.4	*	*	*	6
	5	-	_	-	-	*	*	*	*	*	*	*	*	-	-	0
	6	-	-	-	-	~	*	-	-	*	*	*	-	~	-	
	7	-	-	-	-	-	-	-	- 44.0	- 10.0	-	-	-	-	-	
TOTAL		-	*			0.2	1.2	5.3	11.2	10.8	3.8	0.7	0.1			33
	1-2	_		*	*	0.2	2.0	8.3	13.1	7.0	1.3	0.2	*	*	*	32
41	4	-	_	*	*	0.1	0.8	4.2	10.1	9.5	3.4	0.8	0.1	*	*	28
	5	-	-	-	*	*	*	0.1	0.2	0.4	0.3	0.2	*	*	*	1.
	6	-	-	-	~	*	*	*	*	*	*	*	*	-	-	1
TOTAL	7			-	*	0.3	2.8	12.7	23.4	16.9	5.0	1.1	0.1	*	*	62
TOTAL	1-2	-	-			0.3	±	12.1	*	10.9	3.0	1.1	0.1			02
	3	_		-	*	*	0.1	0.1	0.1	*	*	*	*	_	_	0
51	4	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	-	*	1.
	5	-	-	-	*	*		*	*	*	*	*	*	-	-	0
	6 7	-	-	-	-	*	-	*	*	*	*	*	*	-	-	,
TOTAL		-	-	-	*	*	0.2	0.4	0.6	0.4	0.1	*	*	-	-	1.
TOTAL	1-2	-	-	-	-	_	-	-	-	-	-	-	-	-	_	
	3	-	-	-	*	-	*	*	*	*	*	-	*	-	-	
61	4	-	-	-	-	-	*	*	*	-	-	-	*	-	-	4
	5	-	-		-	-	-	-	-	-	-	-	-	-	-	
	6 7	-	•	-	-	-	-	-		-	-	-	-	-	-	
TOTAL		-		-	*		*	*	*	*	*	-	*		-	
	1-2	-	_	-		-	-	-	-	-	-			-	-	-
	3	-	-	_	-		-	-	*	~	-	-	-	-	-	
71	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	1
	6 7	-	-	_	-	_		-	_	-	_	-	-	-	-	
TOTAL			•				-	*	*	•	-	-		-	•	-
7	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	4
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	4
12 & 22	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-		-	-	•
	7	_		_	_	_	_	_	_	-	-	-	-	-	-	
TOTAL		-	-		-	*	*	*	*	*	*	-		-		-
	1-2	-	-		*	-	*	*	*	*	un.	-	-	-	-	4
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.
32	4	-	-	-	*	*	*	*		*	*	*	*	-	-	0.
	5	1	-	-	_	_		*		*	*	*	-	-	-	
	7	_	-	-	_	_	_	-	_	_	*	_	_			*
TOTAL		-	-		*	*	*	*	*	*	*	*	*		-	0.
	1-2	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
40	3	-	-	*	*	*	*	0.1	0.1	*	*	*	-	•	-	0.
42	5	-	de	*			0.1	0.2	0.2	0.2	*	*	*	-	-	0.
	6		_	_			*			*	*	*		-		0.
	7	-	-	-	_	-	-	-	-	-	*	*	_	-		*
TOTAL		-		*	*	*	0.1	0.3	0.3	0.3	0.1	*	*	•		1.
	1-2	-	-	-	-	-	-	-	-	-	-	-		-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	
52	4	-	-	-					*		*	*	*	-	-	0.
	5 6	•	-	-			*	*		*	*	*	•	-	-	0.
	11 0											*	-	-	-	
	7	-	-	-	-										-	

Less than 0.05 percent.

Table 8. — Georgia: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY						N	lovembe	er 29, 20	007							
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTA
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
00	3	-	-	-	-	•	-	*	-	*	-	-	-		-	*
62	4	-	-	-	-	-			*	*		-	-	-	-	
	5	-	-	•	-	-	-	-	~	*	-	-	-	-	-	
	6 7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		- -	-			-	*	*	*	-	*		-	-	-	*
TOTAL	1-2										 	-		-		
	3	_	_	_				_	*	*	-	-	_	_		
13 & 23	4	-	-	-	-		_	_	_	_	_			_		_
	5	-	-	-	-		-		-	_	-	_	-	-		_
	6	-	-		-	-	-	-	_	-	-	-	-	~	-	_
	7	-	-	-	-	-	~	-	-	-	-	-	_	-	-	-
TOTAL		-	-			-	-		*	*	-	-		-		*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
33	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-		-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	~	-
TOTAL	7	-	-	-	-	-	-	-	-	-		-	-		-	-
TOTAL	1.0	-	-	-	-							-	-	-		-
	1-2	-	-	-	-	-	-		-			-	-	-	-	*
40	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
43	5	-	-	-			*	*	*	*	*	*		_	_	*
	6		-					_	_		*	*		_	_	*
	7	_	_	_		_	_	_	_			_	_	_	_	-
TOTAL	-				-	*	*	÷	*	*	*	*	-	-	-	0.1
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
53	4	-	-	-	-	-	*	*	*	*	*	*	*	-	~	*
	5	-	-	-	-	*	*	*	*	*	*	*	~	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-		*
TOTAL	4.0	-	-		-											
	1-2	-	-	*	-	-	-	-	*	*	_	-		Ū		*
63	3	-	-		-	_	*		_	_	_				_	*
63	5		_					_	_	*	_	*	_	-	-	*
	6	_	_	_	_	-	_	_	_	_	_	-	-	_	-	_
	7	_	_	-	_	-	-	_	-	-	-	-	-	-	-	-
TOTAL					-	-	*		*	*	-	ŵ		-		*
24-54	1-7	+0	-	-	-	-	-	-	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	- 1	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	24	-		-	-	-	*	- 4.0	-	-	*	
OTAL, ALL		-	-	*	0.1	0.6	4.4	18.9	36.0	28.7	9.2	1.9	0.2	Ch		100.0 34.2
TRANEOUS MA	ATTER												Poro	erage Sta ent Tende	apie	72.5
													reice	ont rende	ciable	12.5
Bark - Leve	11	0.3														
Bark - Leve		-														
Grass - Leve		0.1														
Grass - Leve		*														
Prep - Leve	12															
Prep - Leve Other - Leve	11															
Other - Leve	11															
								Less tha	0.05							

Table 9. -- *Kansas*: Percent distribution of color, leaf and staple for upland cotton classed:

November 29, 2007

OUALITY.	Π	H					lovembe	er 29, 20	007 STAPLE							
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39_	40 & +	TOT
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct
	1-2	-	-	-	-	-	0.4	0.1	0.6	1.6	1.3	1.5	0.6	0.1	•	6.2
44.0.04	3	-	-	-	-	-	1.0	0.8	1.9	6.2	3.6	6.5	0.7	0.1	-	20.
11 & 21	5	-	•	-	-	-	0.3	0.7	0.4	1. 4 0.1	1.4 0.2	3.4 0.4	0.1		_	7.7 0.7
	6	_	-	_	_	-	_	-	_	-	-	-	_	_		-
	7	-	_	_	-	_		-	_	-	_	-	-	-	-	-
TOTAL		-	-		-	-	1.6	1.7	3.0	9.2	6.5	11.8	1.4	0.2		35.
	1-2	-	-	*	-		*	-	*	0.3	0.4	0.2	*	-	-	1.0
	3	-	-	-	-	-	1.3	0.6	0.7	2.5	5.4	5.2	0.9	-	-	16.0
31	4	-	-	-	-	*	1.0	1.4	1.5	2.4	3.7	5.1	8.0	- 1	-	16.0
	5 6	-	-	-	-		0.1	0.3	0.6	1.8 0.5	1.5 0.3	2.7 0.2	0.3	*	-	7.3
	7		_	-			-	*	w	*	*	U.Z		_		0.1
TOTAL	-		-			*	2.5	2.4	2.9	7.6	11.3	13.4	2.1	*		42.
	1-2	-	-		-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	ŵ	0.1	*	0.1	0.1	w	-	~	-	0.3
41	4	-	-	-	-	-	0.1	0.1	0.1	0.4	0.4	0.2	*	-	•	1.3
	5	-	-	-	-	-	0.2	0.4	1.6	1.8	0.6	0.7	0.1	-	-	5.3
	6	-	-	-	-	-	*	0.1	1.4	1.7	1.0	0.4	*	-	-	4.8
TOTAL	7	-	-				0.3	0.8	0.5 3.7	0.5 4.5	0.8 2.9	0.4	0.4	-		2.1 13.9
/UIAL	1-2	•				-	0.3	*	3./	4.0	2.9	1.7	0.1	-	•	73.5
	3		-	_			*	*			-					*
51	4	_		_	_	_	-	*	-	-	_	-	_	_	_	*
	5	-	-	-	-	_	-	_	*	*	_	_	_	-	-	*
	6	-	-	-	-	~	-	-	*	*	-	-	-	-	-	*
	7	-	-	-		-	-	-	*	-	-	-	-	-	-	*
TOTAL		-				-	*	*	*	*	•	-	-	•	-	0.1
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	~	-	-
61	3 4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
01	5		_	_	_			-	_				_			-
	6			_	_	_	_	_	_	_		_		_		_
	7	_	_	-	-		-	-	_	_	_	_	_	_		-
TOTAL		-	-	-	-		-	-	-	-	-			-	-	-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-		-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6 7	1	-	•	-	•	•	-	-	-	-	-	-	-	•	-
TOTAL								-			-		-			-
	1-2	-	-	-		-	-		-	*	*	*		-		*
	3	-	_	-	-	_	-	_	_	*	0.1	*	0.1	_		0.2
12 & 22	4	-	-	-	-	-	-	_	*	-	0.1	0.2	W	_	-	0.3
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7074	7	-	-	-	-	-	-	-	- *		-	-	-	-	-	-
TOTAL	4.0	-		-		•	•	•		*	0.2	0.2	0.1	•		0.5
	1-2		-			-	-	*	0.1	0.4	0.1	0.1	0.1	-	-	0.0
32	4	_	-	-	_	-		0.1	0.1	0.4	0.1	0.1	0.1	-	-	0.9
02	5	-	-	-	-	-	_	*	*	0.1	0.2	0.4	-		-	0.8
	6	-	-	-	-	-	-	*	-	*	*	0.1	-	-		0.1
	7	-	-	-	-	-	-	-	-	*	-	-	-			*
TOTAL		-	-	-	•	•	*	0.1	0.2	0.9	0.7	1.1	0.3		-	3.2
	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	0.1	*	-	*	-	-	-	0.1
42	4 5	-	-	-	-	-	- *	-	*	0.1	0.1	0.4	-	-	-	0.2
	5		-	-	-			*	*	0.1	0.1	0.1	*	-	-	0.3
	7									0.1	0.2		*			0.4
TOTAL		-	-		-		*	*	0.2	0.4	0.6	0.2	*	-	-	1.5
	1-2	-	-	-	-	-	0.1	+	*							0.2
	3	-	-	_		_	*	0.1	0.1	_	_	_				0.2
52	4	-	-	-	-	-	-		-	-	-	_	_	-	-	-
	5		-	-	-	-	-	-	-	-	-	-	-	-	_	-
	6	-	-	-	-	-	-	-	-	-	-	-		-	-	-
				-	-	-	-	-	-							
TOTAL	7						0.2	0.1	0.1							0.4

^{*} Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							lovembe	er 29, 20	STAPLE							
	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-		-	-	-	-
62	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	•	-	-	-	-	-	-	-	-	-	-	-		-
	6 7	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-						-			-		-	-	-	-
70772	1-2	-	-					-			-			-	-	
	3	-	-	_		_			_		*	*	-		-	*
13 & 23	4	-	-		-	-	-			_	-	*	-	-		*
	5	-	-	-	-	-	_	_	-	-	-		-	_	_	_
	6	-	-	-	-	-	-	-	-	-	-		-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-		-		-
TOTAL		-	-				•	-		-	Ŕ	*	•			*
	1-2	-	-	-	-	-	-	-	-	-	st.	-	-	-	-	*
20	3	-	-		•	-	-	-	•	-	*	0.1	*		-	0.2
33	5	-	-	-	1 1	•	-		0.4		-	0.2	-	-	-	0.2
	6	_	_	_			-		0.1	*	*	0.2	-	-	-	0.3
	7	_	_		_	-						*	_		-	*
TOTAL		-		-		-		*	0.1	0.1	0.1	0.4	*			0.8
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	_	-		_		*	*	-	-	-	*
43	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	0.2	0.1	-	-	-	0.4
	6	-	-	-	-	-	*	*	0.2	0.1	0.1	*	*	-	-	0.5
TOTAL	7	-			-		*	-	0.1	0.1	*	- 0.4	*	-	-	0.3
IOIAL	10	•		<u> </u>		-		0.1	0.4	0.3	0.4	0.1		-	•	1.4
	1-2	-	-	-	-	*	_	-		-	-	•	-	-	-	*
53	3 4	-	_	_	_	_	_		-		-		-	- [*
00	5	_	_	_		_	_	_	_	-	**	_	_	-	_	_
	6	-	_	-	-	~	-	-	-	-	_	-	-	-	-	-
	7	-	-	-	-		-	-	-	-	-	-	-	-	-	-
TOTAL		-				n	*	ŵ	*	-	•	•	-		•	*
	1-2	-	-	-	-	-	*	-	0.1	-	-	-	-	-	-	0.1
	3	-	-	**	-	-	-	-	*	-	-	-	-	-	-	
63	4	-	-	-	-	-	-	-	-	-	-	-	•	-	-	-
	5 6	-	-	-	•	-				-	-	-	_	_	_	_
	7		_	_		_	_	_	_	_	-	_	_	_	-	_
TOTAL		-	-	-	-		*	-	0.1	-			-	-		0.1
24-54	1-7	-	-	-	-	-	*	0.1	0.1	*	-	-	-	-	-	0.2
25-35	1-7	-	_	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-		-	-	-	-	*	*	0.2	0.1	-	-	-	0.4
TOTAL, ALL		•	-			*	4.6	5.2	11.0	23.0	22.9	29.1	4.1	0.2	-	100.0
EXTRANEOUS MA	TTER													erage Sta ent Tende		35.6 60.8
D-4- /		40.0											reid	ent rende	able	00.0
Bark - Level		10.2														
Bark - Level Grass - Level		*														
Grass - Level																
Prep - Level		_														
Prep - Level		-														
Other - Level	1	*														
Other - Level		-			lor. 2/ Bel											
	Bales cl								1 IIS DOLCE	100						

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	1						Novembe	er 29, 20	007 STAPLE							
	LEAF															
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-		-	_		*		*	*			_		0.1
11 & 21	4	_		-	-		-	_		*	*		_	-		*
	5	-	-	_	-		-	-	*	-	-	-	-	-		*
	6	-	-	-	~	-	-	-	-	-	-	-	•	-	-	-
	7	-	-	-	-	-	•	-	-	-	-			-	-	-
TOTAL		-	•	-	-			*		*	*	*	-		-	0.1
	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	•	0.2
31	3 4	-	-	-	-		0.3	2.5 0.6	5.6 2.3	3.6 2.3	2.5 1.6	1.0 1.0	*	*	*	15.6 7.9
31	5	_	_		_	_	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	_	-	_	_	-	_	-	*	*	*	*	*	*	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		•	-		-	*	0.4	3.1	8.0	6.1	4.2	2.1	0.1	*	*	24.0
	1-2	-	~	-	40	-	*	*	*	*	*	*	7		-	*
	3	-	**	-	-	*	0.4	3.1	6.1	3.8	2.8	1.0	*		-	17.2
41	5	-	-	-	-	_	0.4	4.4	13.3 0.9	11.5	7.8 1.7	4.4 1.2	0.4 0.2	*	*	42.2 5.9
	6		_			-	*	0.1	0.9	1.8 0.3	0.3	0.2	*		*	0.9
	7					-	_	-	*	*	*	*	*	*	*	0.1
TOTAL		-		-	-	*	0.8	7.7	20.4	17.4	12.7	6.8	0.6	*	*	66.5
	1-2	-	-	-		-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
51	4	-	-	-	-	*		0.2	0.4	0.2	0.1	0.1	*	-	-	0.9
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1 0.1	*		-	0.6
	7			-			_	*	*	*	*	*	*	*	*	0.2
TOTAL		-		-	-	*	*	0.2	0.5	0.4	0.3	0.3	0.1	*	*	1.8
	1-2	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	4	-	-	-	-		-	-	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	-	*	•	-	-	*
	6 7	-	-	-	-	-	-		-	*	*	•		44	-	*
TOTAL		-	-				•	*	*	*	*	*		-		*
TOTAL	1-2	-			-			-			-		-	-		
	3	-	-	-	_	-	_	_	_	_	_	_	-	-	-	-
71	4	-	-	-	-	-	-	-	-		-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	•	-	•	-
TOTAL	7	-		-	-	-	-	-			-	-	-	-	-	
TOTAL	1-2		•		-			-	-	-	-	-	-	*	•	-
	3	-	-	_	_			-	-	_			-	_	-	-
12 & 22	4	-	-	_	-	-		-		-	_	-	-	_	_	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-	-	**	-		-	-	-	~	-	-	-	-	-	-
TOTAL	4.0	-			•	-	-		•		-	•	-	•	•	-
	1-2						*	*		*	*	*	*	•	•	0.1
32	4		_			*	*	*	0.1	0.2	0.1	*	*		1	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*		-	-	-	*
TOTAL	10	-	•	-	-	*	*	*	0.2	0.3	0.1	*	*	•		0.6
	1-2	-	-	-	-	*	*	*	-	0.0	0.1	*	-	-	-	*
42	3 4					*	*	0.1	0.2 0.7	0.2 1.1	0.1 0.7	0.3	*	*	1 -	0.5 2.9
	7			-	-	*	*	*	0.7	0.4	0.7	0.3	*	*		1.2
72	5				-	-	-	*	*	0.1	0.1	*	*	*	*	0.2
72	5		-					-	*	*	*	*	*	-	-	*
	- 11	-	-	-	-	-										
TOTAL	6 7	-	-	-	-	*	*	0.2	0.9	1.8	1.4	0.5	*	*	*	4.9
	6 7 1-2	-	-	-	-	*	-	-	-	-	-	0.5	-	*	*	-
TOTAL	6 7 1-2 3	-	-	-	-	*	- *	*	*	*	*	0.5	-	*	-	+
	6 7 1-2 3 4	-	-	-	-	*	*	-	- * 0.3	- + 0.2	- * 0.1	0.5	-	*	-	- * 0.7
TOTAL	1-2 3 4 5	-	-	-	-	*	* * * *	0.1	*	*	*	0.5	* * *	* * *	-	0.7 0.5
TOTAL	6 7 1-2 3 4	-	-	-	-	*	* * * * *	0.1	- * 0.3	- + 0.2	- * 0.1 0.1	0.5	* * *	* * *	-	- * 0.7

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	LEAG							er 29, 20	STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTA
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	~	-
62	4	-	-	-	-	-	-		-	•	-	-		-	-	
	5	-	-	-	-	-	-		*					-	-	*
	7	_			-	-	-					-	-	-	-	
TOTAL		-						-	-	-		*	-	-	-	
	1-2							-						•	-	
	3	_	_	_	_	_	_		-			-	-			-
13 & 23	4	-	-	_	-	_		_	_		_	_	-		_	
	5	-	-	-	-	_	-	_	_	-	_		_	-		_
	6	-	-	-	-	-	-	-	-	-	_	_	-	_		-
	7	-	-	-	-	•	-	a	-	-	-	-	-	-	-	-
TOTAL		-	-			-	-		•	•		-			-	-
	1-2	-	-	•	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
33	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6 7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	/	-			-	*		*	*	*	*	*		-	-	*
TOTAL	1-2															
	3	_	_	_		*	*	*	*	*	*	*	*			*
43	4	_	_		_	_	*	*	*	0.1	w	*	ŵ			0.2
,,,	5	_	_	_	_	_	*	*	*	*	*	*	*	*	_	*
	6	_	_	-	-	-	_	-	*	*	*	*	-	-	-	*
	7	-	-	~	-		-		*	*	-	*	-	-	-	*
TOTAL		-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	•	0.3
	1-2	-	-	-	-	-	-	-		-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	7	-	-	-	*
53	4	-	-	-	-	-			0.1	0.1			*	-	-	0.2
	5	-	-	-	-	-		*	*	*	*	*		-	-	0.1
	6 7	-	-	-	-	Ţ.	_	*	*	*	*	*	*		_	*
TOTAL		-		-			*	*	0.1	0.1	0.1	*	*			0.3
TOTAL	1-2								· · ·	0.7						- 0.0
	3			*			_		_	_	_	_		_	_	_
63	4	_	_	_	_	_		_	*	*	*	-	*		_	*
00	5	_	_	_	_	**	-	*	*	*	×	*	-	-	-	*
	6	-	-	-	-	~	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	_	-	*	-	*	-	-	-	-	*
TOTAL		-	-	•	-			*	*	*	*	*	*	-		*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	-		*		-	-	-	*
All Colors	8 2/	-	-			+	4.2	11 5	30.7	26.6	19.1	9.9	0.9	*	*	100.
TAL, ALL		-	-				1.2	11.5	30.7	20.0	13.1	3.3		erage Sta	anle	34.8
RANEOUS MA	AFTER												Perce	ent Tend	erable	78.9
Bark - Leve		0.3														
Bark - Leve		-														
Grass - Leve		0.2														
Grass - Leve		-														
Prep - Leve		0.1														
Prep - Leve	12	-														
Other - Leve		1														

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	1505						lovembe	er 29, 20	007 STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	*	*	*	*	0.1	*		*	*		-	0.2
11 & 21	3 4	_	_	_	-	*	*	*	*		*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6 7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	- *
TOTAL	/	-	-	*	*	*	*	*	0.1	*	*	*	*	-	-	0.3
	1-2	-	-	w	n	*	*	*	*	*	*	*	*	-	-	0.2
	3	-	-		*	0.1	0.8	2.9	4.4	3.2	1.3	0.4		*	*	13.1
31	5	-	-		_		0.3	1.5	3.2 0.1	2.9 0.1	1.3	0.5	*	*	_	9.8 0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL	7	-	-	-	-	-	-	-	7.0	*	2.6	-	- 0.4	-	*	23.3
TOTAL	1-2	-			*	0.1	1.1	4.5	7.8	6.1	2.6	0.9	0.1		-	23.3
	3	-	-	-	*	0.1	0.5	2.0	3.2	2.6	1.1	0.4	*	*	*	9.8
41	4	-	-	*	*	0.1	0.8	4.5	11.8	12.3	5.5	2.1	0.2	*	*	37.4
	5	-	-	*	*	*	0.1	0.7	2.3	3.1 0.2	1.7 0.1	0.9	0.2	*	*	8.9 0.6
	7	-	-	-	-	*	*	*	*	*	*	U. I	*	*		*
TOTAL		-	-	*	*	0.1	1.5	7.2	17.4	18.2	8.5	3.5	0.4	*	*	56.8
	1-2	-	-	-	-	*	*	*	*	*	*	-	+	-	-	0.1
51	4		-	*	*	*	*	0.2	0.4	0.5	0.2	0.2	*	*	w	1.6
	5	-	-	-	*	*	*	0.1	0.4	0.6	0.5	0.4	*	*	*	2.2
	6 7	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6 0.1
TOTAL	,	-	-	*	*	*	0.1	0.4	1.0	1.4	1.0	0.7	0.1	*	*	4.6
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	3 4	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
01	5	-	-	-	-		*	-	-	*	_	_	-	-	~	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL	7	-	-			-	*	-	*	*	*	*	-		-	*
TOTAL	1-2	-	-	-		-	-	-	~	-		-				-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	_	_	-	-	_	_		_	1	-	_	-	_	-	_
	7				-					-	-	+	-	-	-	-
TOTAL	1-2	-	*	-	-	-	*	•	*	*	-	-		-		*
	3	-	*	*	*	*	*	*	*	*	*	*	_	-	-	*
12 & 22	4	-	-	•	*	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-		_	*	*	*		*	-	-	*
	7	-		-	-	_		-	~	_	_	-	-	-	-	-
TOTAL		-	*	*	*	*	*	*	*	*	*	*	*			*
	1-2	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	-	•	*
32	4		-	*	*	*	*	0.1	0.3	0.5	0.2	*	*	*		0.7 1.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6 7	-						-	*	*	*	*	-	*	-	*
TOTAL		-	*	*	*	*	0.1	0.2	0.6	0.7	0.3	0.1	*	*		2.0
	1-2	-	-	-	-	*	*	*	*	*	-	-	*	-	-	*
42	3 4	-	-	*	*	*	0.1	0.1 0.7	0.3 1.9	0.3 2.3	0.1 1.0	0.2	*	*	-	0.9
72	5	-	-	*	*	*	*	0.7	0.9	1.3	0.6	0.2	*	*		6.2 3.4
	6	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	W	-	0.3
TOTAL	7	-	-	*	+	*	0.2	1.1	3.2	4.1	1.8	0.4	*	*	+	10.9
TOTAL	1-2	-	-	-	-	-	*	- 1.1	3.2	4.1	-		-	-	-	10.8
	3	-	-	-	-	*	*		*	*	*	*	*	-	-	*
52	4 5	-	-	*	*	*	*	0.1	0.1	0.2	0.1	* 0.1	*	*	*	0.5
			-		_	*		*	*	0.3	0.2	0.1		*		0.8
	6		-													
TOTAL	6 7	-	-	-	-	*	*	0.1	0.4	0.6	0.3	0.1	*	*	-	1.6

Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY								er 29, 20	STAPLE							
COLOR	LEAF	26 & -	28	20	20											
COLOR		Pct.	Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	Pct.	34	35	36	37	38	39	40 & +	TOT
	1-2	-	-	-	1 01.	roi.	FGL.	PCL.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct
	3	-	-	-	-			_	-	-	-	_	-		-	-
62	4	-	-	-	_	_	*	*		*		*	-	-	_	*
	5	-	-	-	-	-	*	*		*		_	_			
	6	-	-	-	-	-	-	*	*	*		*				
	7	-	-	-	-		-	_	*	*	-	-	-	-	-	*
TOTAL		-	-			-	*	*	*	*	*	*		-		*
	1-2	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-
13 & 23	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
13 & 23	5	-	•	-	-	-	-	-	*	*	-	-	-	-	-	ŵ
	6	_	_	-	•	-	-	-	-	-	•	-	-	-	-	-
	7	_				_	_	_		-		-	-	-	•	-
TOTAL		-		-			*	*	ŵ	*						*
	1-2	-	-	-	-	*	*	*	_			-		-		*
	3	-	-	*	*	*	*	*	*	*	*	*	-	*	-	*
33	4	-	-	-	-	*	*	*	*	#	#	*	*	-	-	*
	5	-	-	•	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	•	-	-	-	*
TOTAL	7	-		-	-	-	-	**	-	-	-	-	-	-	-	-
TOTAL	10	-					-		*	*	*	*	-		-	-
	1-2	-	-	-	-		*	-	-	*	-	-	-	-	•	*
43	4					*	*	*	0.1	0.1	*	*		*	-	0.2
40	5	-				*	*	*	*	*	*	*	*	_	_	0.1
	6	-	-	-		-	_	-	*	*	*	ŵ	-	_	_	*
	7	-	-	-	_	-	-	-	*	*	*	-	-	_	-	*
TOTAL			-	-	•	*	*	*	0.1	0.1	0.1	*	*	*		0.4
	1-2	-	-	-	-	-	-	-	-	*	-	-	-		-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
53	4	-	-	-	-			*				*	*	-	-	
	5	-	1	_		*	*	*	*	*	*	*		-		*
	7				_	_	_		_	*	*	*	_		_	*
TOTAL		-		-		*	*	*	*	*	*	*	*			0.1
	1-2	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	~	*	-	-	-	-	*	-	-	-	-	-	-	*
63	4	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	•	-	-	-	-	-	-	-	-
	7	-	-	-	-		-	*	*	*	*	*	*	-	-	*
TOTAL	4.7	•	-	-	-	-	*	*	*	*	*	*				*
24-54 25-35	1-7 1-7	-	_	_		_				_					-	
81-85 1/	1-7	_			_	Ī	_		*	*	_	*	-	*	_	*
All Colors	8 2/			_	2	-	_	-	×	*	*	*	-	-	-	*
TAL, ALL		-	*	*	*	0.3	2.9	13.6	30.5	31.3	14.7	5.9	0.7	0.1	*	100.
RANEOUS MA	TTER												Ave	erage Sta	ple rable	34.6 71.1
Bark - Level	1	0.2														
Bark - Level		-														
Grass - Level		0.2														
Grass - Level		*														
Prep - Level		dr														
Prep - Level	2	-														
Other - Leve																
Other - Level																

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:

November 29, 2007 QUALITY STAPLE LEAF COLOR 26 & 28 29 30 31 32 33 36 38 39 40 & + TOTAL Pct. 1.4 1-2 0.1 0.4 0.6 0.3 3.6 3 0.1 0.4 1.3 1.1 0.5 0.1 0.7 11 & 21 4 0.2 0.3 0.2 5 6 0.9 1.7 0.1 5.8 TOTAL---0.1 2.1 0.8 1-2 0.1 0.2 0.2 0.1 0.5 9.2 0.3 1.2 2.9 3.2 0.2 3 1.4 1.8 7.9 31 4 0.5 0.1 3.5 17 0.3 5 0.3 0.7 0.5 0.1 1.6 6 0.1 0.1 0.2 19.5 TOTAL---1.8 0.5 5.2 7.5 3.8 0.7 0.4 0.1 0.1 0.1 1-2 9.7 0.2 3 1 1 2.9 3.8 1.5 03 41 4 0.1 0.8 3.1 6.1 3.6 1.0 14.7 5 0.2 0.9 3.1 2.7 0.9 7.8 6 0.2 1.0 1.5 0.8 3.7 0.9 02 0.3 0.3 TOTAL----2.2 7.3 0.4 14.2 9.7 3.2 0.1 37.2 1-2 3 0.1 02 0.1 0.5 0.1 51 4 0.1 0.2 0.6 0.3 1.3 5 0.1 0.6 0.6 0.3 1.7 6 0.1 0.4 0.9 0.7 2.2 0.4 0.1 04 TOTAL----0.2 0.6 1.9 2.4 1.6 0.1 6.7 1-2 3 61 4 5 6 TOTAL---1-2 3 71 4 5 6 TOTAL--1-2 0.1 0.1 0.2 0.3 3 0.1 0.7 12 & 22 4 0.1 0.1 0.3 5 6 TOTAL-0.1 0.4 0.4 0.1 1.0 1-2 0.1 0.2 0.4 0.4 3 0.2 0.1 1.3 32 4 0.1 0.2 0.2 0.2 0.1 8.0 5 0.2 6 7 TOTAL----0.2 0.6 0.7 0.5 0.2 0.1 2.4 1-2 0.1 0.1 0.2 0.5 3 0.1 1.4 2.5 2.0 0.4 6.9 42 0.3 1.3 3.0 3.7 0.1 1.1 9.5 5 0.2 0.6 0.6 1.1 0 1 2.7 6 0.1 0.2 0.2 0.1 0.6 0.1 TOTAL--0.1 0.9 3.0 2.4 0.3 6.2 20.1 1-2 * 3 0.1 0.2 0.4 0.2 1.0 52 4 0.1 0.2 0.6 0.2 0.7 1.8 5 0.1 0.1 0.3 0.5 0.3 1.3 6 0.1 0.2 0.3 0.1 0.7 0.1 0.2 TOTAL----0.2 1.7 0.6 1.3 0.9 0.3 5.1 * Less than 0.05 percent

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							Novemb	er 29, 20	007		or uplano					
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-		-	-	-	-	-	-	-	-	-	-	-	-	-
00	3	-	-	-	-	-	*	*	*	*	tr	*	-	-	-	*
62	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	•	-	*
	6 7	-	-	-	-	•	-		*	*	*	*	*	-	-	*
TOTAL	-	-		-		-	*	*	*		*		-	-		
	1-2								*					-		
	3	_	_		-	-	_	*	*	*	-	-	-		-	*
13 & 23	4	-	_	_	_			_	*	*	-	-			-	*
	5	-		-	-	-	_	*		*		_	_	_		*
	6	-	-	-	-	-	-	-		-	*	-	-	-	-	*
	7	-	-	-	_		-		-	-	-	-		-	-	
TOTAL		-	-	-		-	-	*	*	*	*	-		-		*
	1-2	-	-	-	-	ŵ	*	*	*	*	*	*	-	-	-	*
00	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
33	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	-	-	*		*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	•	-		-	-	-	*
TOTAL		-	-			*	*	*	*	*	*	*	*		-	0.1
	1-2	-			*	*	*	*	*	*	*				-	*
	3	_	_	_	*	*	0.1	0.1	0.2	0.1	*	*	*	_		0.5
43	4	-	_	_	_	*	*	0.1	0.2	0.2	*	*	*	_		0.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	_	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	*	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL					*	*	0.1	0.3	0.4	0.3	0.1	*	*	-	•	1.3
	1-2	-	-	-	-	*	*	*	*	*	*		-	-	-	*
50	3		-	-	-				0.1			*	-	-	-	0.2
53	5	-	-	-	-		*	*	0.1	0.1	*	*	*	**	-	0.3
	6				-	-	*	*	*	*	*	*	*		-	0.1 0.1
	7	-	_		-				*	*	*	*	_	_	_	*
TOTAL			-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-		0.7
	1-2		-	-	-	-	-	-	-	-	_	-	-	-	-	-
	3	-	-	0.1	-	-	-	*	*	*	-	-	-	-	-	*
63	4	-	-	~	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL	7		-	-	-	-		+	*	*	*	*			-	*
	4.7	-	-	-	*	*	*	*	*	*	*	*	*			0.1
24-54 25-35	1-7 1-7		-				_	_				_			-	0.1
25-35 81-85 1/	1-7		-	-	_	*	*	*	*	*	*	*	_		_	*
All Colors	8 2/	_	_	_	2	*	*	*	*	*	*	*	*	_	_	0.1
TOTAL, ALL	-	-	-	*	*	0.3	2.6	9.8	24.6	35.6	20.6	6.4	0.2	*	*	100.0
EXTRANEOUS MA	TTER												Ave	erage Sta	ple	34.8
													Perce	ent Tende	rable	57.1
Bark - Level	11	*														
	12	-														
Bark - Level																
Grass - Level	11	*														
Grass - Level Grass - Level	11	-														
Grass - Level Grass - Level Prep - Level	1 2 1	* - *														
Grass - Level Grass - Level Prep - Level Prep - Level	11 12 11 12 12 12 12 12	* * * *														
Grass - Level Grass - Level Prep - Level	1 2 1 2	* * * *														

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed: November 29, 2007

						N	lovembe	er 29, 20	07							
QUALITY	1								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR	1	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	*	0.6	2.4	8.2	21.2	33.2	10.0	2.0	0.1	77.7
	3	-	-	-	-	-	-	0.1	0.1	0.7	3.7	5.9	3.5	0.9	0.1	14.9
11 & 21	4	-	-	-	-	-	-	-	-	*	0.3	0.2	0.3		-	0.9
	5	-	-	-	-	-		-	-	-	-	-	*	-	-	*
	6 7	-	-	-	-	-	-	-	-	-	-	-				
TOTAL	/	-	-	-	-	-	*	0.7	2.5	8.9	25.1	39.4	13.7	2.9	0.1	93.5
TOTAL	1-2			-				*	0.2	0.7	0.7	1.2	0.3	0.1	*	3.3
	3	-	_	_	-		-	-	*	0.3	0.4	0.9	0.5	0.1	*	2.3
31	4	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	**	0.4
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL	7	-		-	-	-		*	- 0.2	1.0	1.3	2.2	0.9	0.2	+	6.0
TOTAL	4.0	-		•	-	-			0.3	1.0	1.3	L.L	0.9	0.2		*
	1-2	_	-	-	-	_	-	-		_	- [_	_	-	*
41	4			_		_	_	-	-	*	*		*	_	_	*
	5		-	-	-	_	-	-	-	-	*		-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*		-	-	-	*
	7	-	-	-	-	-	-	-	-		-	-	-	-	-	-
TOTAL		-		-	-		•			*	*	0.1	*	-	-	0.1
	1-2	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-
51	3 4	-	-	-	-	-	-	-	-	-		•			-	
51	5			-	-	_	_	_		_	_	_	_			
	6	_	_	-	_	-	-	_	-	-	-	-	_	-	-	-
	7	-	-	-	-		-	-	No	-	-	-	-		-	-
TOTAL		-	-	-	-	-	-	-			-	•	•			-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	_	-	_	_	_	-	_		_	~	_	-	-	-	_
	7	-	-	-	_	_	_	-	_	-	-	-		-	-	-
TOTAL		-	-	-	-		-	-	-	-	-		-	-	-	-
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	~	-	-	-	~	-	-	-	-		~	-	
71	4	-	-	-	-	-	-	~		•	-	-	-	44	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	_		_		_	-	_	-	-	_			_		_
TOTAL		-	-	-		-	-	-	-	-	-	-	-	-		-
	1-2	-	-	-	-	-	-	-	-	*	*	0.1	*	-	-	0.2
	3	-	-	-	-	-	-	-	-	-	-	0.1	*	*	-	0.1
12 & 22	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-
	6 7	-	-	-	-		-			-	-	-	-		-	-
TOTAL		-					-		-	*	*	0.2	*	*		0.3
	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
32	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-			-	-	-	-		*	*	-	-	~	-	*
TOTAL	1-2	-					-						-			
	3		_									_				
42	4	-	-	-	-	-	-	-	-	-	-	-	-			-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-	-	-		-	-	-		-	-	-	-	-	-	-
TOTAL	4.0	-	-	-	-	•	-	-	-		*	-	-	-	-	•
	1-2	-	-	-	-	-	Ī	-	-	-	-	-	-	-	~	-
52	4			-				-				-				
52	5	_	-	-	-	_	-	-	-	_	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	_	-
TOTAL		-	-			*	*	-	-	-			-		-	-
* Less than 0.05 p	ercent.															

^{*} Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	1					N	lovembe	er 29, 20	007				i classet			
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	- 32	33	34	35	36	37	38	39	40 & +	TOTAL
	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3		_	-	-	~	-	-	-	-	-	-	-	-		-
62	4	_	_		_		_	-	-	-	-	-	-	-	-	-
	5	_	-	-	_	-	_	_	-	_					-	
	6	-	-	-	-	-	_	_	-	_				-	-	_
	7	-		-	-	-	-		-	_	-	-		-	_	-
TOTAL		-	-		•		-	-	-	-	-		-	-		-
	1-2	-	-	-	-	-	-	-	-	-	-	*	W	-	-	0.1
13 & 23	3 4	-	•	-	-	-	-	-	-	-	-	*	*	-	-	*
15 & 25	5	_	-	-		-	-	-	-	-	-	-	-	-	-	-
	6	-	_	_	-	_	-	_	_	_	-	-	-	-	-	-
	7	-	-		_	_		_	_	-	_	-	-		_	
TOTAL		-	-	*		-	-	-	-		-	0.1	*	•		0.1
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6 7		_		-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-				-		-		-		-			
	1-2	-	_	-	-		-	-								
	3	_	-	_	-	-	-	-	_	-	_	_	_	_		
43	4	-	-	-	-	-	-		-	-	-	-	~	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	•	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-		-	-		-	-		-		-	-	-	-	-
TOTAL	1-2				-				-							
	3	-	_	_	_	_	-				_	_	-	_	_	_
53	4	_	-	-	-	_	_	-	-	_	_	-	-	_	_	-
	5	-	-	-	-	-	-	-	-	-	-	-		-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	~	-
TOTAL	7	-	-	-	-	-	-	-	-	-	_	-	-		-	
TOTAL		-	-	-	-	-	-	-	*	-	-			-	•	-
	1-2	-	-	-	-	-	-	-	-	1	_	-	-		-	-
63	4	_	_			_	-	_	-		_	_		_		_
	5	_	_	-	_	-	-	-	-		-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	•	-	•	-	-	-	-	-	-	•	•	-	•	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	•	•
25-35 81-85 1/	1-7 1-7			-	-	•	-	_	-	*	*	-	-	-		*
All Colors	■ 2/		_	-	_,	_	_		_	_	-	_	-	_		-
TOTAL, ALL		-	-	-		-	*	0.7	2.8	9.9	26.5	41.9	14.7	3.2	0.2	100.0
EXTRANEOUS MA	TTER												Ave	erage Sta	ple	36.6
													Perce	nt Tende	erable	92.7
Bark - Leve		0.1														
Bark - Leve		- 0.4														
Grass - Leve		0.1														
Grass - Leve Prep - Leve																
Prep - Leve		_														
Other - Leve		0.1														
Other - Leve	11	-														
15,385	Bales c	lassed.	1/ Below	Grade Co	olor. 2/ Be	low Grad	e Leaf. *	Less than	1 0.05 per	rcent.						

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							Novembe	er 29, 20	STAPLE							
	LEAF	20.0	00	00	00	0.4	00	00	0.4	25	20	27	20	39	40 & +	TOTAL
COLOR		26 & - Pct.	28 Pct.	Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	Pct.	Pct.	Pct.
	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-		*	0.1	0.2	0.3	0.3	0.1	*	*		-	-	0.9
11 & 21	4	-	-		-	*		*	*	*	*	*	-	-	-	0.1
	5	-	-		-	-	*	*	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-		-	-		-	-	1.1
TOTAL	1 4 0	-	•			0.1	0.2	0.3	0.3	0.1	*		-	•	-	0.2
	1-2	_		*	0.1	0.8	2.2	0.1 4.2	0.1 5.0	2.9	0.7	0.1	*		*	16.1
31	4	_		*	*	0.2	0.5	1.3	2.0	1.4	0.6	0.2	*	*	*	6.2
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	6	-	-	*	*	*	*	*	*		*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*		-		*
TOTAL		-	-	*	0.2	1.0	2.9	5.6	7.1	4.4	1.4	0.4	0.1	*	*	23.0
	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
44	3	-	-		0.1	1.0	2.6	4.6	5.5	3.2	8.0	0.1	0.4		*	17.8 22.1
41	5	_	_	*	0.1	0.5 0.1	1.7 0.3	4.4 0.7	7.2 1.5	5.6 1.8	2.0 0.9	0.6 0.3	0.1 0.1		*	5.6
	6		-	*	*	*	*	0.7	0.2	0.2	0.3	*	*	*	*	0.8
	7	_	-		*	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL		-	-	*	0.2	1.6	4.6	9.8	14.4	10.8	3.9	1.0	0.1	*	*	46.5
	1-2	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
	3	-	-	*	*	0.1	0.4	0.9	1.2	0.7	0.1	*	*	-	-	3.5
51	4	-	-	*	*	0.1	0.4	1.2	2.2	1.8	0.6	0.2	*	*	*	6.5
	5	-	-	*	*	*	0.1	0.2	0.5 0.1	0.7 0.1	0.4 0.1	0.1	*	*		2.1 0.4
	7		- [*	*	*	*	*	*	*	*			0.4
TOTAL	,	-		*	*	0.3	0.9	2.3	4.0	3.3	1.2	0.3	0.1	*	*	12.5
	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
61	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL	7		-	-	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL	1-2	-	_		-	-	-	-	-		-		_			
	3	-	_	_	_	-	-	-	-	_				-		-
71	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	•	~	-	-	-	-	-
TOTAL	7	-		•	-	-	-			-	-	-	-	-	-	-
TOTAL	1-2	•	•	-	*	*	*	*	*			-	-		*	*
	3	_	_	*	*	*	*	*	*	*	*	*	*			0.1
12 & 22	4	-	-	*	*	n	*	*	*	*	_	*	*			*
	5	-	~	_	*	*	*	*	*	-	*	*	-	-		*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-		-	-	-	-	-	-	•	-
TOTAL		•	•	*	*	*	*	*	*	*	*	*	*	-	*	0.1
	1-2	-	-	*	*	0.4	~ ~	*	*	0.4	*	-	-	-	-	*
32	3 4	_	-		*	0.1	0.2 0.1	0.3 0.2	0.2 0.2	0.1 0.1	0.1	*	*	*	-	0.9
32	5	_	_	*	*	*	*	*	*	*	*		*	*		0.7 0.1
	6	-	_	-	*	*	*	*	*	*	*	*	*	-		±
	7	-	-		-	*	*	*	*	*	*	-	•	-	-	*
TOTAL		-		*	*	0.1	0.3	0.5	0.4	0.2	0.1	*	*	*		1.7
	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	0.2	0.5	0.8	0.6	0.3	0.1	*	-	-	-	2.5
	1	-	-	*	*	0.2	0.5	1.0	1.2	0.7	0.2	*	*	*	*	3.9
42	4		_			*	0.1	0.2	0.3	0.3	0.1	*	*	*		1.1
	4 5	-		*				*	*	*	*	*		*		0.2
	4	-		*	*	*	*	-	-							
42	4 5 6	-	-	* *	*	0.4				1,3	0.5	0.1	*	*	*	7.7
	4 5 6	-	-	*	*		1.2	2.0	2.1	1.3	0.5	0.1	*	*	*	7.7
42 TOTAL	4 5 6 7	- - - -	-	* * * * * * * * * * * * * * * * * * * *	*	0.4	1.2	2.0	2.1		0.5	0.1	*	-	*	*
42	1-2 3 4	- - - - -	-	* * * * * * * * * * * * * * * * * * * *	*	0.4	1.2	2.0	2.1	*	-	0.1	÷	- *	*	1.9
42 TOTAL	1-2 3 4 5	- - - - - - -	-	* * * * * * * * * * * * * * * * * * * *	* * * * * *	0.4	1.2 * 0.4	2.0 * 0.6	2.1 * 0.5 1.0 0.3	* 0.2 0.7 0.3	0.2 0.1	0.1	**	* * *		1.9 3.3 1.1
42 TOTAL	1-2 3 4 5 6	-		* * * * * * * * * * * * * * * * * * * *	*	0.4 0.1 0.1	* 0.4 0.4 0.1 *	* 0.6 0.8 0.2 *	2.1 * 0.5 1.0 0.3 0.1	* 0.2 0.7 0.3 0.1	0.2 0.1	0.1	- * *	* * * * * * * * * * * * * * * * * * * *	-	1.9 3.3 1.1 0.2
42 TOTAL	1-2 3 4 5	-	-	* * * * * * * * * * * * * * * * * * * *	*	0.4 0.1 0.1	1.2 * 0.4 0.4	2.0 * 0.6 0.8	2.1 * 0.5 1.0 0.3	* 0.2 0.7 0.3	0.2 0.1	0.1	*	*	-	1.9 3.3 1.1

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	11	1				1	Novemb	er 29, 20	007	- Stapi						
QUALITY	LEAF								STAPL	E		-				
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	_	_	-	*	*	*	-	- :	:	-	-	-	40	-	-
62	4	-	_	-				*		*		-	-	-	-	
	5	-	-	-	_				*			_	_			*
	6	-	-	-	-	-	-	*				_	-	_	_	
TOTAL	7		-		-		-	-		*	*	-	-	_	-	*
TOTAL	1-2	-		•	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	•	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	4		-	-			*	*		-	-	-		-	-	*
	5	_	_	_	_	-	_	*				-	_	-	-	*
	6	-	-	-	-	-	_	_	_	_	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-		-	-
TOTAL		-	•	-	-		*	*	*	-	*	*	*	-	-	*
	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
33	3 4		-	*	*	*	*	*	*	*	*	*	*	-	-	*
33	5		-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	_	_	_	*	*	*	*	*				_	*
	7	-	-	_	-	*	*	~	*	*	_	-	-	_		*
TOTAL			-	*	*	*	*	*	*	*	*	*	*			0.1
	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	×
40	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
43	5	•	-		*	*	*	*	*	*	*	*	-	~	-	0.2
	6		-	*	*	*	*	*	*	*	_					*
	7	-	-	*	*	*	*	*	*	*	*	-	_	_		sk .
TOTAL		-		*	*	*	*	0.1	0.1	0.1	*	*	*		-	0.4
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	*	*	*	*	*	*	*	-	-	-	-	*
53	5	-	-	r	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	_	-	-		_	*	*	*	*	*	_	_	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL		-	-	w	*	*	*	*	*	*	*	*	*	-		0.2
	1-2	-	-	-	-	-	-	-	-	~	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
63	4	-	-	-	-	•	*	·			-	*	-	~	-	*
	5		_	-	-	-	_	-			-	_	_	-	_	
	7	-	-	-	-	-	-	_	_	_	-	-	_	_	-	-
TOTAL			-	•	-	*	*	*	*	*		*		-	•	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
81-85 1/	1-7	-	-	*	- *,	*	*	*	*	*	*	*		-	-	0.1
Ali Colors TOTAL, ALL	8 2/		-	0.1	0.6	3.9	11.2	22.4	30.4	21.6	7.5	2.0	0.3	*	*	100.0
EXTRANEOUS MA	TTFR													rage Sta	ple	33.8
													Perce	nt Tende	rable	53.5
Bark - Level		0.1														
Bark - Level																
Grass - Level		0.5														
Grass - Level Prep - Level		0.1														
Prep - Level	2	-														
Other - Leve	11	*														
Other - Leve	11	-														
708,880	Bales cl	assed. 1	/ Below (Grade Co	olor. 2/ Be	low Grad	e Leaf.	Less than	1 0.05 pe	rcent.						

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	-						Novembe		STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOT
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Po
	1-2	-	-	-		0.1	0.3	1.4	6.4	13.2	11.2	7.8	2.2	0.3		43
	3	-	-	-		0.1	0.2	1.1	4.3	9.7	9.3	5.3	1.5	0.3	*	31
11 & 21	4	-	-	-	-	*	*	0.2	0.5	1.0	0.8	0.5	0.1		Ī	3. 0.
	5	-	-	-	-		-			0.1	0.1	*				*
	7	-		-			-	_		_	_	_	-	_		
TOTAL			-			0.2	0.6	2.6	11.3	24.0	21.4	13.6	3.9	0.7		78
	1-2	-	-		-	*	*	0.1	0.3	0.7	0.8	0.4	0.1	*	*	2.
	3	-	-	-	*	*	0.1	0.2	0.9	1.8	2.1	1.3	0.2	*	*	6.
31	4	-	-	-	*	*	*	0.1	0.6	1.0	1.2	0.7	0.1	*	*	3.
	5	-	-	-	-	*	*	*	0.2	0.3	0.4	0.2	*		-	1.
	6 7	-	-	-	-	-				*	0.1	*	*			0.
TOTAL		-		-	*	*	0.1	0.5	2.0	4.0	4.5	2.7	0.5	0.1	*	14
TOTAL	1-2						*	*	*	*	*	*	*	*	-	
	3		_		_	*	*	*	*	*	*	*	*	_		0.
41	4	-	_	_	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.
	5	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	0.
	6	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	•	0.
TOTAL	7	-		-	-	-	*	*	*	*	*	*	-	-	-	0. 1.
TOTAL	1 4 0	-	-	*	-	72-2		0.1	0.3	0.6	0.5	0.2	-		•	*
	1-2	•	-	•	-	-	-	*	-	_	_	*	-	-		*
51	4		-			_		_	-	*	*	•		_		
01	5	-	_	_	-	_	-	*	*	*	*	*	*	-	-	*
	6	-	-		-	-		*	*	*	*	w	-	-	-	*
	7	-	-	•	-		-	-	*	*	*	*	-	-	-	*
TOTAL			-	•	•	-	-	*	*	*	*	*	*	•	-	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	•	-	•	-
61	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	•	-	-			-	-					_
	7	_	_	_	_	_			_		_	_				_
TOTAL		-						-								-
	1-2	-	-	-	-	-	-	-	-	-	-	~	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	•	-	-	•	-	-	-	•	-	-	-	-	-	•	-
	6 7	-	-	-		-	-		-		-			•		_
TOTAL		-	-	-	-	-	-			-			-			
	1-2	-	_		*	*	*	*	0.2	0.2	0.1	*	*	*		0.
	3	-	_	*	*	*	0.1	0.2	0.5	0.6	0.4	0.1	*	*	-	1.
12 & 22	4	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*		0.
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.
	6	-	-	-	-	-	-	*	-	*	-	*	*	-	-	*
TOTAL	7	-	-	*	-	*	0.2	0.4	0.8	- 4.4	-	0.4	-	-	-	-
TOTAL		-				*	*	*	V.0	1.1	0.6	0.1	*		-	3
	1-2	-			*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	•	0.
32	4	_	-	_	*	*	*	*	0.1	0.1	0.1	*	*	*		0.
	5	-	-	-		*	*	*	*	0.1	*	*	*	*	-	0.:
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL		-	-	•	*	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*		1.
	1-2	-	-	~	-	-	-	-	*	*	-	-	-	-	-	*
42	3	-	-	**	-	*	*	*		*	*	*	ab.	-	-	*
42	5							*	*	*	*	*	*	-	*	0.
	6	-					*	*	*	*		*	*			U. *
	7	-		-			-	-	*	*	*	*	*			*
TOTAL		-	-		-	*	*	*	*	0.1	*	*	*	-		0.:
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-		-	-	*
	1 4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
52	4									*						
52	5	-	-	-	-	-	1	-	-		-	-	-	-		
52		-	-	-	-	-	-	-	-	•	-	-	-	-	-	*

Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY						N	lovembe	er 29, 20	007		- uplan					
	LEAF								STAPLE							
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33	34	35	36	37	38	39	40 & +	TOTAL
	1-2	-	-	-	-	PCI.	PCt.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	-	-		_	_			-	-	_		-	-	-	-
62	4	-	-	-	-	-	-	-		_	-		_	_		-
	5	-	-	-	-	-	-	-	-	-	-	_	_	_		-
	6	-	-	**	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-	-		-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	1-2	-	-	-				•	*	-	•	-	-	-	•	-
	3	_	-	-	*	*	*	*	*		*	*	-	-	•	0.4
13 & 23	4	-	-	_	_		*	*	*	*	*	*	*	-		0.1
	5	-	-	_	-	40	-	-	_	*	*	*	*	_	_	*
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-		-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	•	*	*	*	*	*	*	*	*	*	-	•	0.1
	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
33	3 4			-	*	*	*	*	*	*	*	*	*	*	-	0.2
55	5			-	_	_		*	*	*	*	*	*	*	-	0.2
	6	-	-		-	-		-	*	*	*	*	_	*	_	*
	7	-	-	_	-	-	-	_	-	*	*	-	-	-	-	*
TOTAL		-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	rk		0.4
	1-2	-	-	-	-	-	-	-	~	-	*	*	-	-	-	*
40	3	-	-	-	*	*	*	*	*	*	*	*	Ī	*	-	*
43	5	-	-	-	1				~			*		*	-	*
	6	_	_	_			_		*	*	*	*	*			*
	7	_	-	69		_		_	*	*	*	*	_		-	*
TOTAL		-	-	-	*	*	*	*	*	*	*	w	*	*	-	0.1
	1-2	-	-	-	-	-	-	-	**	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	4	-	-	-	-	-	-	-	*	-	-	-	•	•	•	*
	5	_	-	-	- [_	-		-	*	-	-	_	-	-	*
	7	_	_			_		_				_	_	_	-	-
TOTAL				-		-	-	-	*	*	-	*			•	*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	~	-	-	-	*	-	*	-	-	-	-	*
63	4	-	-	-	-	-	-	-	-	-	-	-	•	•	-	-
	5	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-
	6 7		_	_		_	_		_		-		_			_
TOTAL		-		-	-				*	-	ŵ			-		*
24-54	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-		*
25-35	1-7	-	-	-	~	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	~	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	*	-	4.0	-	440	20.2	27.4	46.0	4.5	0.0	*	100.0
TOTAL, ALL	TTED	•	-			0.3	1.0	3.8	14.9	30.3	27.4	16.8		0.8 erage Sta	nle	35.5
EXTRANEOUS MA	TIER													nt Tende		87.4
Bark - Leve		1.9														
Bark - Level		*														
Grass - Leve		0.1														
Grass - Level Prep - Level																
Prep - Level																
Other - Leve		*														
Other - Leve	11															
1 47 459	Bales c	lassed.	1/ Below	Grade Co	olor. 2/ Be	low Grad	e Leaf. *	Less that	n 0.05 per	cent.						

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

November 29, 2007

QUALITY								er 29, 20	STAPLE							
COLOR	LEAF	20.8	20	20	20	24	22	22	24	35	36	37	38	39	40 & +	TOTA
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct
	1-2	-	-			*	*		*	W	-	*	-	-	-	0.2
	3	-	-		0.1	0.3	0.4	0.4	0.4	0.2		*	*	-	-	1.9
11 & 21	4	-	-				*		*	*		-	-	-	•	0.1
	5	-	-	-	-	*	-	-	*	•	•	-	-	-	•	
-	6 7	•	-	-	-	-	-	-	~	-	-	-	_	_		
TOTAL	-	-		-	0.1	0.3	0.4	0.4	0.5	0.2			-		-	2.1
TOTAL	1-2			*	*	0.1	0.1	0.1	*	*	*	-	-	-	-	0.3
	3	-	-	*	0.3	2.3	4.3	6.9	7.8	3.8	0.9	0.2	*	w	-	26.6
31	4	-	-	*	0.1	0.6	1.3	2.1	2.5	1.7	0.7	0.3	0.1	*	-	9.4
	5	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	0.4
	6	-	-	-	-	-	*	*	•	-	*	-	-	-	-	*
TOTAL	7	-	-	-	0.5	3.1	5.8	9.1	10.4	5.6	1.6	0.6	0.1	*	-	36.
TOTAL	1 2	-	•		<i>0.5</i>	3.7	3.0	9.1	10.4	3.0		0.0	0.1		•	0.1
	1-2		-	*	0.1	1.4	3.1	4.8	5.3	2.4	0.5	0.1	*	- [17.8
41	4			*	0.2	0.9	2.0	4.0	5.5	3.6	1.6	0.7	0.1	*		18.0
	5	_	-	*	0.1	0.3	0.4	0.8	1.1	1.0	0.6	0.5	0.1	*	-	4.8
	6	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	-	-	-	0.7
	7	-	-	-		*	*	*	0.1	*	*	*		-	-	0.1
TOTAL		-	-	*	0.4	2.6	5.6	9.8	12.2	7.2	2.7	1.4	0.2	*	•	42.2
	1-2	-	-	-	*	0.1	0.2	0.2	* 0.1	*	-	*	-	-	•	0.7
51	4		-	*	*	0.1	0.2	0.2	0.1	0.2	0.1	*	*	*	0.1	1.2
31	5	_	_	-	*	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.6
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-			*	*	-	*	*	-	*	-	-	-	*
TOTAL		-	-	*	0.1	0.3	0.5	0.5	0.5	0.4	0.2	0.1	*	-	•	2.5
	1-2	-	-	-	-	-	-	-	-	-	•	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5		-	-		-					-	-		_	-	
	7	_	_	_		_	_					-				
TOTAL		-	-	-		•	*		-	•		-				*
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
71	4	-	-	-	-	-	~	•	•	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	•	*	-	-	-	-	-	-
	6		_	_					1		-			-	-	
TOTAL	-	-		-	-		-		-	-		-			-	-
	1-2	-	-	-	_	*	Ħ	-	-	*	-	-	-	-		*
	3	-	-	*	*	0.1	0.1	0.1	w	*	*	-	-	-	-	0.3
12 & 22	4	-	-	*	*	*	*	*	*	*	-	-		-	-	*
	5	-	-	-	44	*	~	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	•	-	-	-	-	-	-
TOTAL	7	-		*	*	0.1	0.1	0.1	0.1	*	*		-	-	-	0.4
TOTAL	1-2					*	-		*	_						*
	3		_	*	*	0.3	0.5	0.5	0.4	0.2	*	*	*	*		2.1
32	4	-	-	*	*	0.3	0.5	0.6	0.5	0.3	0.1	*	*	-		2.4
	5	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	6	-	-	-	-	*	-	*	*	*	•	-	-	-	-	*
	7			-	-	-	-	*	*	-	-	*	-	-		*
TOTAL	4.0	-	-		0.1	0.6	1.1	1.2	1.1	0.5	0.2				•	4.8
	1-2	•	•	*	*	0.2	0.6	0.5	0.4	0.2	0.1	*	*	-	-	2.0
42	4			*	0.1	0.4	0.7	1.0	1.1	0.6	0.1	0.1	*			2.0 4.2
	5	-	-	*	*	0.1	0.2	0.4	0.5	0.3	0.1	*	*	_		1.7
	6	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	,	-	-	*	0.1	0.7	1.4	2.0	2.2	1.2	0.5	0.1	*	-	-	8.3
TOTAL				-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	1-2	-					0.3	0.1	0.1	Ŕ	*	×	-	-		0.7
	1-2	-	-	*	*	0.2							_			
TOTAL 52	1-2 3 4	-	-	*	*	0.2 0.2 *	0.2	0.2	0.2	0.2	0.1	*	*	-	-	1.0
	1-2 3 4 5	-	-	*	*					0.2 0.1	0.1	* *	*		-	1.0 0.4
	1-2 3 4	-	-	*	*			0.2	0.2 0.1	0.1	0.1	* *	*	-	-	1.0

^{*} Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							lovembe	er 29, 20	007 STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	~	-	-	-	-	-	-	-	-	-	-	-	-	-
62	3	-	-	-	-	-		-	-	-	-	-	-	-	-	*
02	5		-	-	-			•	-	•	•	-	-	-	-	
	6		_	-	_			-	-	•	•	-	-	~	-	*
	7	-	-	_	_	-			_		-	_	-	-	-	
TOTAL			-			*	*	ŵ	-		-	-		-	-	*
	1-2	-	-	-		-	-	-	-	-	-	_	-	-	-	-
	3	-	-	-	-	~	*	-	-	-	-	-	-	-	_	*
13 & 23	4	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	~	-	-	-	-	-	-	**	-	•	-
	6 7	-	-	-	•	-	-	-	-	-	-	-	-	•	-	-
TOTAL				-	-		*	-		*		-	-	•	-	-
70772	1-2								-		-	-	-	•		
	3	_	_		*	*	*	*	*	*	*	*	-		-	0.1
33	4	_	_		_	*	*	*	*	*	*	_	_	_	-	*
	5	-	-	-	-	_	-	*	*	*	_	-	-		-	*
	6	-	-	-	-	-	-	-	-	-	-	-	~	-		-
	7	-	-	-	•	-	-	*	-	-	-	-	-	-	-	*
TOTAL		-	-	-	*	*	*	*	*	*	*	*	•			0.1
	1-2	-	-	-	ī		-	-	-	-	-	-	-	-	-	
43	3	-	-	*			0.1	0.1	0.4			-	-	-	-	0.2
43	5		_				*	0.1	0.1	*	*	-	-	-	-	0.2
	6		_	_		_	_	*	*		_				-	*
	7	-			-	-	-	-	*	-	_	_	_	-	_	*
TOTAL			-	*	*	*	0.1	0.1	0.1	*	*					0.5
	1-2	-		-	-	-	-	-	-	-			-	-	-	-
	3	-	-	-	-	*	*	-	*	-	-	-	-	-	-	*
53	4	-	-	-	-	*		*	*	*	*	-	-	-	-	*
	5	-	-	-	•	-	_	*	_	*	-	-	-	-	-	*
	7		_				-	*					-	-		*
TOTAL		-			-	*	*	*	*	*	r	-	-		-	0.1
	1-2	-	-		-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	-		_	-	-	-	w
63	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	•	-	-	-	-	-	•	-	-	-	-	•
TOTAL	7	-	-	•	-	-	-		-		-			-	-	*
TOTAL	4 7	-			-	*	*	*		*						*
24-54 25-35	1-7 1-7	_	-	-	-	_	-	_	-	_	-	-	-	-	-	
81-85 1/	1-7	_	_	-		_	-	-	_	-	-	_	_	-	-	-
All Colors	8 2/	-	-		4	*	ŵ	*	*	-	-	-		-	~	*
TOTAL, ALL		-		0.2	1.3	8.1	15.6	23.6	27.5	15.6	5.5	2.2	0.3	*		100.0
XTRANEOUS MA	ATTER												Ave	erage Sta	ple	33.5
Bark - Leve Bark - Leve Grass - Leve Grass - Leve Prep - Leve	12	0.1 - 0.2 - *											Perce	ent Tende	erable	53.5
Prep - Leve		*														
Other - Leve																
Other - Leve	Bales c		4 / D -1	0 1- 0-	olor. 2/ Be	Jan Cana	la Loof #	Logo thou	0.05.00	roont						

119,428 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed: November 29, 2007

QUALITY								er 29, 20	STAPLE							
COLOR	LEAF	26 🌡 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-		*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	*	0.1	0.1	0.1	0.1		*	-	-	-	0.6
11 & 21	4	-	-			*	*	0.1	*	*	1 .	*	-	-	-	0.2
	5	-	-	-	-		*	*				-	-	-	•	*
	6 7	-	-	-	-				1	-	-		-		_	_
TOTAL	-	-			-	·	0.1	0.2	0.2	0.2	*	*			-	0.8
TOTAL	1-2	-	-	-	*	*	*	*	*	*	*	*	-		-	*
	3	-	_	*	*	0.1	0.3	0.6	0.8	0.5	0.1	*	*	-	-	2.4
31	4	-	-	*	*	0.1	0.2	0.5	0.7	0.5	0.2	*	*	-	-	2.2
	5	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	•	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-		*
TOTAL	7	-		-	*	0.2	0.5			1.0	0.4	0.1	*	-		5.0
TOTAL	1 4 2	-				*	0.5	1.1	1.6	*	*				•	*
	1-2	_		_	*	*	0.3	1.0	1.3	0.8	0.2	*	*	-	_	3.7
41	4		_	*	*	*	0.3	1.0	1.9	1.5	0.7	0.2	*	_		5.6
71	5	-	_	_	*	*	*	0.2	0.4	0.5	0.3	0.1	*	-	_	1.4
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	7	-	-		-	-	*	*	*	*	*	*	* _	-	-	0.1
TOTAL		-	-	*	*	0.1	0.6	2.2	3.8	2.9	1.3	0.3	*	-		11.2
	1-2	-	-	-	•	*	*	W	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	*	0.6
51	4 5	-	-	-			0.1	0.2	0.4	0.2		*	*	-	i i	0.9
	5					W	*	*	0.1	0.1	*	*	*	_		0.3
	7		_	_		*	*	*	*	*	*	*	*		_	*
TOTAL		-	-	-	*	*	0.2	0.5	0.7	0.4	0.1	*	*			2.0
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-
61	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	•	-	-	-	*	-		*	•	-	-	-	-	
	6 7		-	-	-	-	*	-	*		-	-	-		•	*
TOTAL				-	-	-	*	*	*	*	*	•		-	-	*
70772	1-2	-	-			-	-	-	_	-	-				-	-
	3	-	_	_	**	-	_	_	~	-	-	-	-	-	_	
71	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	*	-		**	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	•	-
TOTAL	7	-		-	-	-	-	-		-		-			-	-
TOTAL	1-2	•		-		*	*	*	*	*	*	-	•	-	-	0.1
	3			*	*	*	0.1	0.2	0.1	*	*	*	-	- [-	0.1 0.5
12 & 22	4	_		*	*	*	*	*	*	*	*	-	*	_	_	0.1
	5	-	-	-	*	*	*	*	*	*	-	*		_	-	*
	6	-	-	-	-	-	*	*	w	*	-	-	-	-	-	*
	7	•	-	•	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		•		*	*	*	0.2	0.3	0.2	*	*	*	*	-	•	0.7
	1-2	•	-	-	*	*	*	*	*	*	*	7	-	-	-	0.1
00	3	•	-			0.3	1.5	1.8	1.0	0.3			-	-	-	4.9
32	5	•	-	_	*	0.1	0.6	0.9 0.1	0.6	0.2		*	r	-	-	2.5
	6		-	_		*	*	*	*	*	*		_	_		0.2
	7	_		_	-	_	_	*	*	*	_		-	-	_	*
TOTAL		-		*	*	0.4	2.2	2.8	1.7	0.5	0.1	*	*	-		7.7
	1-2	-	-	*	*	*	0.1	0.1	*	*	w	*	-	-	-	0.3
	3	-	-	*	*	0.9	5.6	7.1	4.2	1.2	0.2	*	*	-	-	19.2
42	4	-	-	*	*	0.4	3.3	6.5	5.6	2.6	0.8	0.1	*	•	-	19.2
	5	-	-	-		*	0.4	0.9	1.1	0.8	0.3	0.1	*	-	-	3.5
	6 7	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
TOTAL			-	*	0.1	1.3	9.3	14.6	11.0	4.6	1.4	0.3	*	-	-	
TOTAL	1-2				*	*	*	14.0	*	*	*	0.3		-		42.7
	3					0.2	0.7	0.6	0.3	0.1	*	*				2.0
52	4	-	-	-	*	0.2	0.7	1.1	0.9	0.4	0.1	*				3.5
	5	-	-	-		*	0.2	0.3	0.4	0.3	0.2	*	*	-	_	1.4
	6	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	V							w		*						
TOTAL	7	-	-	-	-	0.5	1.6	2.1	1.7	0.9	*	0.1		-		7.4

* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:

November 29, 2007 QUALITY STAPLE LEAF COLOR 26 & 28 29 30 31 32 33 34 35 36 37 38 39 40 & + TOTAL Pct. 1-2 3 62 4 5 6 TOTAL--1-2 3 13 & 23 4 5 6 TOTAL-1-2 3 0.1 0.3 0.3 0.1 0.8 33 4 0.1 0.1 0.3 5 6 TOTAL-0.1 0.4 0.4 0.2 0.1 1.2 1-2 0.1 0.2 3 0.8 3.4 3.1 1.2 0.2 8.7 43 4 0.4 2.1 2.8 1.6 0.5 0.1 7.5 5 0.2 0.3 0.3 0.1 1.0 6 0.1 TOTAL--0.1 1.3 5.8 6.3 3.1 0.9 0.2 17.5 1-2 3 0.1 0.4 0.3 0.1 1.0 53 4 0.1 0.4 0.6 0.4 0.1 1.7 5 0.1 0.2 0.2 0.1 0.7 6 0.1 TOTAL-0.3 0.9 1.1 0.7 0.3 0.1 3.5 3 0.1 4 63 5 6 TOTAL----0.2 0.1 0.1 24-54 1-7 25-35 1-7 81-85 1/ 1-7 All Colors 8 2/ 100.0 TOTAL, ALL---EXTRANEOUS MATTER 0.3 4.2 21.9 31.9 24.8 11.9 4.1 0.8 Average Staple 33.3 Percent Tenderable 17.1 Bark - Level 1 Bark - Level 2 Grass - Level 1 Grass - Level 2 0.1 Prep - Level 1 Prep - Level 2 Other - Level 1 Other - Level 1

583,525 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. *Less than 0.05 percent.

Table 18. -- *Texas*: Percent distribution of color, leaf and staple for upland cotton classed: November 29, 2007

QUALITY]								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	то
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	P
	1-2			*	*	0.1	0.3	1.4	4.0	8.2	11.3	11.3	2.9	0.5	*	4
	3		*			=	0.2	0.7	1.9	3.9	5.6	7.1	2.4	0.5	*	2
11 & 21	4				*		0.2	0.1	0.2	0.4	0.5	0.5	0.2	*	*	1
11 0 21	5						*	*	*	=		*	*	*	*	C
	6						*		*		*	*	*			
	7		_	_	-					w	*					
TOTAL						0.1	0.6	2.2	6.0	12.5	17.4	18.9	5.5	1.1	0.1	6
TOTAL	1-2			*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	(
	3		-			*	0.1	0.1	0.6	0.1	0.1	1.0	0.5	0.1		2
31		-		*		*	0.1	0.4	0.5	0.6	0.6	0.7	0.5	0.1		3
31	4	•		*	*	*	*	0.2	0.3	0.2	0.0	0.7	*	*	*	Ò
	5 6	•	*	*		*	*	v. i	v. 1	*	*	v. i	*	*	*	Č
	7	•					*	*	*	*	*	*	*			,
TOTAL	-	-	*	*	*	0.1	0.2	0.7	1.4	1.7	1.6	1.9	1.0	0.2	*	8
TOTAL						0.1	0.2	*	1.4	*	*	1.3	1.0	0.2		
	1-2	-	-	-	_		_						0.0	*		
	3	-	-	-				0.2	0.3	0.3	0.5	0.9	0.3			2
41	4	-	-					0.2	0.5	0.7	1.3	3.4	1.8	0.3		8
	5	-	-	*				0.1	0.2	0.2	0.3	0.6	0.4	0.1		1
	6	-	-	-	*										*	(
	7	-	-	•	-	*	*	*	*	*	*			*	-	
TOTAL		-	401				0.1	0.5	1.0	1.4	2.1	5.0	2.5	0.4	*	1
	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*		(
51	4	-	-	-	-	*	*	0.1	0.2	0.2	0.3	1.0	0.4	*	*	2
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.6	0.2	*	*	1
	6	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	C
	7	-	-	-		-	*	*	*	*	*	*	*	*	-	
TOTAL		-	-		-	*	÷	0.2	0.3	0.3	0.6	1.8	0.7	0.1	*	3
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	-	*	-	-	-	
61	4	-		-	-	-	*	*	*	*	*	*	*	-	-	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	
	7	-	-	-	-	-		-	-	*	*	*	*	-	-	
TOTAL		-	-	-	-		*	*	*	*	*	*	*	*	-	0
	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	
	3	-	-	-	-		-	-	-	*	*	-	-	_	-	
71	4	-	-	-	-	-	-	-	*	-	-	*	*	-	-	
	5	-		-	-		-	*	*	-	*	*	*	-	-	
	6	-	-	-	-	-	-	-	-	-	*	*	•	-	-	
	7	-	_	-	-	-	_		-	-	*	*	-	×	-	
TOTAL				-		-		*	*	*	*	*	*	*	-	
	1-2	-	_	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	C
	3			*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	C
12 & 22	4	_	_	_	*	*	*	*	*	*	*	*	*	*	*	C
	5	_	_	_	_	*	*	*	*	*	*	*	*	_	*	
	6	-	_			_	_	#	w	*	*	*	_	_		
	7	_	_	_	_	-	_	_	*	*		_	_	_		
TOTAL		-		*	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	1
	1-2			-		*	*	*	*	*	*	*	*	*		
	3			*	*	*	*	*	*	*	*	*	*	*	*	0
32	4			*	*	*	*	*	*	0.1	0.1	*	*	*	*	0
52	5					*	*		*	*	*	*	*	*	*	
	6		-				*	*	*		*	*	*	*		C
	7								*	*	*	*				
TOTAL	-			*	*		*	*	0.1	0.2	0.1	0.1	*	*	*	
, O / AL	4.0			u			+		0.7	V. Z	0.7	0.1	*			0
	1-2	-	-	-	-							0.4	-		-	
40	3	•	-	-	-				0.1	0.1	0.1	0.1			*	0
42	4	-	-	-	-				0.1	0.3	0.4	0.6	0.2	*	*	1
	5	•	-	-	-			*		0.1	0.2	0.2	0.1	*		0
	6	1	-	-	-	-			_		*	*	*	*		
7074	7	-	-		-	-	*	-		*	*	*	*	*	-	
TOTAL		•	•	-	-		*	0.1	0.3	0.5	0.7	0.9	0.3	0.1	*	2
	1-2	-	-	-	-	*	W	*	*	*	*	*	-	-	-	
	3	•	-	-	-	*	*	*	*	ŵ	*	*	*	*	-	0
52	4	-	-	-	-	*	*	*	0.1	0.3	0.5	0.6	0.1	*	*	1
	5	-	-	-	-	*	*	*	0.1	0.2	0.3	0.5	0.1	*	*	1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0
					_			*	*	*	*	*	*	*		
TOTAL	7	-						0.1	0.2	0.5	0.9	1.2				

Table 18. -- *Texas*: Percent distribution of color, leaf and staple for upland cotton classed: November 29, 2007

QUALITY							lovemb	er 29, 20	STAPLE							
	LEAF								SIAFLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	10 -	-	-	-	*	-	-	*	-	-	-	*
62	3	-	-	-	-	-	*	*	*	*	*	*	w	-	-	*
02	5	-	-	•	-	-					*	*	*	*	-	0.1
	6	-	-	-	-						*	*	*	*	-	0.1
	7	_	_	•	-	-					*				-	
TOTAL		-		·			*	*	*	*	0.1	0.1		*	*	
	1-2	-			*	*	*	*	*	*	*	*				0.2
	3				Wr.	*	*	*	*	*	*	*	*	*	-	0.1
13 & 23	4	-	_	_	_	*	*	*	*	*	*	*	*	*		*
	5	-	_	-	-	-		_	*	w	*	*	*		_	*
	6	-	-	-	-	-	-	-	-	*	-	*	-	-		*
	7	-	-	-	-	-	-	-		-	-		-	-	**	-
TOTAL		-	-	-	*	*	*	*	*	*	*	9	*	*		0.1
	1-2	-		-	-	-	*	*	*	+	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	W	*	*	*	*
33	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL	1.0	-	•	-											*	0.1
	1-2	-	-	-	-	-					*			-	-	
43	3	-	~	-	-	*	*	*	*	*			*			0.0
43	5	-	_	-			*	*	*	*	*	*	*	*	rk .	0.2
	6					_	*	*	*	*	*	*				*
	7	_	_		**	_	_	*	*	*	*	*	w	*	_	*
TOTAL						*	*	*	*	*	0.1	0.1	*	*	*	0.3
	1-2		-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
53	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	W	*	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
7074	7	-		-	-	-		*	- 0.4	*		*	0.4	•	*	4.0
TOTAL		-	-		•				0.1	0.3	0.3	0.2	0.1			1.0
	1-2	-	-	*	-	-		*	*	-		*	-	-	-	*
62	3	-	-		-		*	*	*	*	*	*	*	*	~	0.1
63	5				_	_	*	*	*	*	*	*	*	*	*	0.1
	6		-			_	_	*	*	*	Wr.	*	*	*	-	*
	7	-		-	-	_	-	-	*	*	*	*	*	*	-	*
TOTAL					-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-		-	-	-	-	-	-		-	-	-
81-85 1/	1-7	-		-	-	-	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	2	-	-	*	*	*	*	*	*	-	-	*
TOTAL, ALL			*	*	*	0.2	1.0	3.9	9.8	17.9	24.1	30.5	10.5	1.9	0.1	100.0
EXTRANEOUS MA	TTER													erage Sta		36.0
													Perce	ent Tende	erable	76.9
Bark - Leve		4.4														
Bark - Leve																
Grass - Leve		0.2														
Grass - Leve		0.1														
Prep - Leve		*														
Other - Leve		0.1														
Other - Leve		R														
3.478.019	Polonic	lacced '	I/ Below	Grade Co	ior. 2/ Be	low Grad	e leaf "	Less that	0.05 pe	rcent						

3,478,019 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. "Less than 0.05 percent.

Table 19. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed: November 29, 2007

QUALITY						ı,	10161110	er 29, 20	STAPLE							
	LEAF															
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOT
	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	
	3	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	-	-	-	1.
11 & 21	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	/	-		-	*	*	0.1	0.3	0.4	0.2	0.1	*				1
TOTAL	1-2					*	*	*	0.1	*	*	*			-	0.
	3	_	_		*	0.4	3.0	7.8	9.6	5.2	1.9	0.4	*	_		28
31	4	-	-	-	*	0.1	0.6	2.0	3.7	3.0	1.5	0.4	*	*	-	11
	5	-	-	-	•	*	*	*	*	0.1	0.1	*	*	-	-	0.
	6	-	-	-	-	-	*	-	-	*	-	-	-	-	•	*
	7	-	-	-	-	-		-		-	-	-	*	-	-	- 40
TOTAL		-	•	•		0.4	3.7	9.9	13.5	8.4	3.4	0.8			•	40.
	1-2	-	-	-	-	0.3	2.1	5.9	5.2	2.5	0.8	0.3	*	-		17.
41	3 4	-	-		*	0.3	1.4	5.9	5.2 6.1	4.7	1.8	0.5	*	*		19.
7'	5		_			*	0.1	0.3	0.5	0.8	0.5	0.2	*	*	_	2.
	6	-	_	-	-	*	*	*	*	0.1	0.1	*	-	-	-	0.3
	7	-	-	-	-	-	-	-	*	*	*	-	*	-		*
TOTAL			-	r	*	0.4	3.6	11.2	11.9	8.1	3.2	1.1	0.1	*	•	39.
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E4	3	-	-	-	-	*	0.2	0.6	0.9	0.6	0.2	*		-		2.0
51	5	-	-	-	-	_	0.1	0.5	1.2 0.1	1.5 0.1	0.9 0.1	0.4 0.1	*	-		4.5 0.4
	6	_	_		-	_		*	*	*	*	*			- [*
	7	-	_	-	_	_	_	_	-	-	-	_	_	_	_	_
TOTAL		•	-		-	*	0.2	1.1	2.2	2.3	1.3	0.5	*	-	-	7.0
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
61	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
i	5	-	-	-	-	-	-	*	-	*	*	-	•	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-		-	-	-	-	*	*	*	*	*	-			0.1
1017.2	1-2	-	_			-	-	-	-		-	-	-			-
	3	-	-	_	_	-	_	-		_	-	-	-	-	-	
71	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	~	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-		-	-	-		-	-	-	-	*	-	-	-	
TOTAL	1-2	*	•	•	-			•	•			•	•		-	-
	3		_	_		-	*	*	*	*	*			-	-	0.1
12 & 22	4		-	_		_	*	*	*	*	*		_	_	-	*
	5	-	-	-	-	-	_	-	-	-	*	-	-	_	_	*
	6	-	-	-	•	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	_	-	-		-	-	
TOTAL		-	-	-	-	•	*	*	*	*	*	•	•	-	-	0.1
	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
00	3 4	•	-	-	Î		0.2	0.4	0.3	0.1		*	-	-	-	1.0
	5			-		_	*	0.2	±	*	*	*	*	-	-	0.6
32			_	*	_	_			_	*	*	*			_	*
32		-			-	-	-	-	-	-	-	-	-	-	-	_
	6 7	-	-	-			0.3	0.6	0.5	0.2	0.1	*	*	-		1.7
TOTAL	6	-	-	-	*		0.5									*
	6	-	-	-	*	-	-	*	-	-	-	-		-	-	
TOTAL	6 7 1-2 3	- - -	- - -	-	*	0.1	0.3	0.6	0.5	0.2	*	*	-	-	-	1.7
	6 7 1-2 3 4	- - - - -	- - - -	-	*	0.1	-	* 0.6 0.9	0.5 0.7	0.2 0.4	0.1	*	- - -	-	-	2.4
TOTAL	1-2 3 4 5	- - - -	- - - - -	-	*	0.1	0.3	0.6	0.5	0.2		*	-	-	-	2.4
TOTAL	1-2 3 4 5 6	-	-	- - - - -	*	0.1	0.3	* 0.6 0.9 *	0.5 0.7	0.2 0.4		* * -	-	- - - -	-	2.4
TOTAL	1-2 3 4 5	-		-	*	*	- 0.3 0.3 * -	* 0.6 0.9 * -	0.5 0.7 0.1 *	0.2 0.4 0.1 *	0.1	* * *	-	-	- - - - -	2.4 0.2 *
TOTAL	1-2 3 4 5 6 7	-	-	-	*	0.1	0.3	* 0.6 0.9 * - - 1.5	0.5 0.7 0.1	0.2 0.4 0.1		* * *	-	-	-	2.4 0.2 * *
TOTAL	1-2 3 4 5 6	-	-	-	*	*	0.3	0.6 0.9 * - - 1.5	0.5 0.7 0.1 * * *	0.2 0.4 0.1 * *	0.1	* * - *	-	-	-	2.4 0.2 * *
TOTAL	1-2 3 4 5 6 7		-	-	*	*	0.3	* 0.6 0.9 * - - 1.5	0.5 0.7 0.1 * *	0.2 0.4 0.1 * *	0.1	* * * * * * * * *	-	-	-	2.4 0.2 * * 4.4
TOTAL	1-2 3 4 5 6 7 1-2 3 4 5	-		-	*	*	0.3 0.3 * - 0.5	* 0.6 0.9 * - - - 1.5	0.5 0.7 0.1 * * * * * *	0.2 0.4 0.1 * * * * * * * 0.7 - 0.4 0.9 0.1	0.1 * * * * * * * * 0.2 - 0.1	* * * * * * * *	-	-		1.7 2.4 0.2 * * 4.4 1.8 2.6 0.2
TOTAL	1-2 3 4 5 6 7	-			*	*	0.3 0.3 * - 0.5	* 0.6 0.9 * - - 1.5	0.5 0.7 0.1 * * * * * * * * * * * * * * * * * * *	0.2 0.4 0.1 * * 0.7 - 0.4 0.9	0.1 * * * 0.2 - 0.1 0.3	* * * * * * * * * * * * * * * * * * * *		- - - - - - - - - - - - - - - - - - -	-	2.4 0.2 * * * 4.4 1.8 2.6

^{*} Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							ovemb	er 29, 20	STAPLE							
	LEAF								STAFEE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTA
	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	4	_	_	-	-	_	_				-	-	-	-	-	*
-	5		_		_	-	-			*		-	-	-	~	0.1
	6	_	_			_	-	_				-	-	-	-	-
	7	_	_	_	_			-								
TOTAL		•	-	-	-	W	*	*	*	*	*				-	0.1
	1-2	-	-	-	-	-	-	-	-	-	-		-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	**	-	-	-	-
13 & 23	4	-	~	-	-	-	-	-	-	*	-	_	-	-	-	*
	5	~	-	-	-	-	-	-		-		-	-	_	-	-
	6	-	-	-	-	-	-	-	-	-		-	-	-	-	-
TOTAL	7	-	-		-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4.0	-	-	-	-	-		-	-	*	-		-	-	-	*
	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
33	3 4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
33	5		-	-	-	-	-	Î	~	-			-	-	-	0.1
	6			_		_	-	_	•			_	-	-	-	•
	7	_	_	_		_		_	-	-	-	-	-	-	-	-
TOTAL	-				-	*	*	*	*	*	*	*				0.1
	1-2	-		-	-		*									*
	3	_	-	_	_	*	*	*	*	*		*	*		_	0.1
43	4	-	-	-	_	-	*	*	*	*	*	*	_	-	_	0.1
	5	-	-	-	-	_	-	_	*	_	*	-	-	_	_	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-		-	-
TOTAL			-		-	*	*	*	0.1	rk*	*	*	*	-		0.2
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	3	-	-	-	•	-	-	*	*	*	*	-	-	-	-	*
53	4	~	~	-	-	-	*	*	*		*	-	-	-	-	*
	5	_	-	•	-	-	-	-	-	_	~	-	-	-	-	-
	7		_				_		-		_	-	-	_		-
TOTAL		-	-	-		-	ŵ	*	*	*	*	-			-	*
	1-2	-	-					-	-	_	-	-			_	
	3			*		-	-	-	_	-	-	-	-	-	-	-
63	4	-	-	-	-	-	-	~	*		-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-
	6	-	-	~	-	-	-	-	-	-	-	-	-	-	-	-
	7	-		-	-	-	-	-	-	-	-	-	-	-	-	~
TOTAL		-	•	-		-	-	•	*	-	-	•	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-		-	-	*	-	1	-	-	-	-	-	*
All Colors TOTAL, ALL	8 2/			*	*	1.0	8.8	25.5	31.7	21.4	8.8	2.5	0.1	*		100.0
KTRANEOUS MA	TTED					1.0	0.0	20.0	51.7	21.7	0.0	2.0		rage Sta	nie	34.0
CIRANEOUS IVIA	TILK													nt Tende		48.1
Bark - Level	1	0.1														
Bark - Level		-														
Grass - Level		1.3														
Grass - Level		-														
Prep - Level	1	*														
		-														
Prep - Level	4															
Prep - Level Other - Level Other - Level	1	*														

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through

November 29, 2007

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	November 29 CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPE
MIKE 24 & below	0.1	-	-	-		-	-	-	*
25	*	*	_	-	-	-	-	-	*
26	0.1		-		-	-	0.1	-	*
27	0.4		_		- 1	*	0.5	*	
28	0.7	*	*	*	*		1.4	*	*
29	1.3	*	*	*	_		1.4	*	*
30	1.8	*	*	*	_	*	1.2	*	0.1
31	2.3		*	0.1	*	*	0.8	*	0.2
32	2.8	*	0.1	0.2	*	*	1.8	*	0.3
33	3.1	0.1	0.2	0.3	*	*	3.1		0.6
34	3.2	0.1	0.4	0.6	*	*	4.8		0.9
35	3.2	0.2	0.9	1.1	*	0.1	7.3	*	1.2
36	3.4	0.3	1.6	1.7	0.1	0.1	5.9	*	1.6
37	3.5	0.6	2.5	2.7	0.3	0.1	5.3	0.1	2.0
					0.6	0.2	4.3	0.2	2.6
38	3.5	1.0	3.6	3.8		0.5	8.7	0.4	3.3
39	3.6	1.9	4.8	5.3	0.9				
40	3.5	2.7	6.0	6.9	1.4	0.8	7.7	0.8	4.1
41	3.8	3.8	6.9	9.1	1.9	1.3	7.4	1.2	5.1
42	4.1	5.2	7.8	11.4	2.7	2.1	6.8	2.3	6.2
43	4.5	6.0	8.9	12.7	4.1	3.4	6.8	4.3	7.5
44	4.7	6.8	9.3	12.5	4.8	5.2	6.3	7.2	8.8
45	5.3	8.2	9.6	11.1	6.0	7.6	4.5	10.9	9.8
46	6.3	9.8	9.4	8.3	8.3	11.2	5.7	15.4	10.6
47	7.0	11.1	8.5	4.9	10.9	14.5	3.0	17.9	10.4
48	7.0	11.5	7.1	3.2	13.6	16.4	2.4	16.7	9.0
49	6.3	11.5	5.5	2.0	14.5	14.7	1.9	12.0	6.7
50	5.5	8.9	3.5	1.0	12.7	10.3	0.8	6.2	4.5
51	4.0	5.4	1.9	0.4	8.5	6.1	0.2	2.9	2.5
52	2.6	2.9	0.9	0.3	4.8	3.1	*	1.0	1.3
53	1.3	1.3	0.4	0.1	2.6	1.4	-	0.2	0.6
54	0.6	0.5	0.1	0.1	0.8	0.4	*	0.1	0.2
55	0.3	0.1	*	*	0.3	0.1	_	*	*
56	0.1	*	*	*	0.1	*	_	*	*
57	*	_			*	*		*	*
58	*				*	*		*	*
59	_				_	*			
60 & above						*			
Average mike	40	46	44	43	47	47	43	46	44
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	*
18	-	-	-	-	-	-	-	*	*
19	*	-	*	-	-	-	-	*	*
20	×	*	*	*	*	-	-		*
21	0.2	*	*	-	*	*	-	*	*
22	0.6	*	*	-	0.1	*	-	*	*
23	2.4	0.1	0.1	*	0.3	0.2	*	0.2	0.2
24	5.6	0.3	0.5	*	1.2	1.0	*	1.0	0.8
25	9.5	1.2	1.6	*	4.2	3.2	0.2	3.8	2.9
26	13.9	4.1	4.3	0.2	9.8	7.7	1.1	11.6	7.5
27	17.2	9.5	9.5	0.7	16.7	15.1	5.0	20.8	14.9
28	16.5	18.4	17.4	1.5	20.3	22.5	12.3	22.3	21.4
29	14.0	25.2	24.7	2.7	19.7	24.2	18.0	18.8	
30	10.0	22.1	23.1	3.1	15.0	16.5	19.0	12.1	22.3
31	5.8	12.6	12.5	4.3					16.2
					8.3	7.3	12.0	6.2	8.8
32	2.7	4.7	4.5	8.6	3.2	2.1	17.5	2.3	3.7
33	1.1	1.4	1.2	21.5	0.9	0.2	10.7	0.6	0.8
34	0.4	0.3	0.3	31.9	0.3	0.1	3.0	0.2	0.3
35	0.1	0.1	0.1	18.6			0.9	*	0.1
36 & above	27.6	*	20.4	6.9	20.4	*	0.2	*	*
Average strength	27.6	29.1	29.1	33.4	28.4	28.4	30.3	28.2	28.6

^{1/} Fiber strength expressed in terms of 1/8" gage (grams per tex.) * Less than 0.05 percent.

Table 20. - Percentage distribution of mike and fiber strength for upland cotton classed through

November 29, 2007 MIKE AND NEW NORTH SOUTH UNITED FIBER STRENGTH MISSOURI **MEXICO** OKLAHOMA VIRGINIA CAROLINA CAROLINA TENNESSEE TEXAS STATES MIKE 24 & below 25 26 0.1 27 0.1 28 0.1 0.2 0.1 29 0.1 0.1 0.1 0.3 0.1 30 0.1 0.1 0.1 0.1 0.3 0.5 0.2 31 02 0.5 0.1 0.2 0.6 0.7 0.4 32 0.4 1.3 0.1 0.3 0.4 1.2 1.0 0.6 33 0.7 1.4 0.1 0.5 0.6 2.2 1.5 0.8 34 1.2 19 02 0.7 0.7 3.4 2.0 1.2 35 2.1 1.5 0.4 1.3 1.1 5.1 2.7 1.7 36 3.1 2.4 0.5 2.0 1.8 6.9 3.3 0.1 2.2 37 4.1 3.3 0.8 2.9 2.5 8.2 4.1 0.1 2.9 38 5.3 6.2 1.2 3.4 3.3 8.9 4.9 0.3 3.6 39 6.9 7.8 1.8 4.0 3.8 9.3 5.8 0.5 4.4 40 8.0 9.5 2.7 5.3 4.4 9.1 6.8 0.8 5.2 41 8:9 9.1 3.6 7.2 5.0 8.5 7.9 1.5 6.1 42 9.5 12.9 4.6 9.3 6.1 7.8 8.6 2.3 6.9 43 9.6 11.1 5.8 10.2 66 67 9.0 3.2 7.7 44 9.0 87 7.2 10.1 7.3 5.6 8.7 4.3 8.1 45 8.2 8.0 8.3 9.4 8.3 4.4 8.1 5.6 8.5 46 7.0 6.0 9.2 8.4 9.1 3.5 7.1 7 1 87 47 5.3 4.3 9.7 7.4 9.1 2.7 5.8 9.8 8.4 48 3.9 2.4 9.8 6.7 8.6 1.9 4.5 11.2 7.6 49 2.8 1.1 9.6 4.9 7.1 14 3 1 107 6.0 50 19 02 8.5 3.0 1.0 5.1 17 10.0 4.0 51 1.1 0.1 6.4 1.6 3.7 0.6 0.9 9.7 2.4 52 0.5 4.4 0.6 2.4 0.3 0.4 8.1 1.3 53 2.7 0.2 0.3 1.3 0.2 0.1 62 0.6 54 14 0.2 0.8 0.1 4.3 0.3 55 0.6 0.1 0.4 2.5 0.1 56 0.2 0.1 12 57 0.4 58 59 60 & above 45 43 Average mike 42 41 46 40 43 48 46 FIBER STRENGTH 1/ 17 & below 18 19 20 21 0.1 0.2 22 0.1 0.1 0.7 1.0 0.1 0.1 0.4 1.8 3.7 0.1 0.1 0.4 23 0.4 36 04 0.3 12 24 1.1 0.5 1.0 8.6 25 2.3 1.8 2.4 0.1 6.9 13.1 1.6 1.0 2.9 1.0 10.2 15.9 4.5 3.3 6.2 26 4.3 5.6 5.3 9.1 4.1 14.3 16.6 9.6 11.5 27 8.1 99 10.5 10.9 178 15.0 18.2 16.8 15.3 28 13.7 16.0 17.0 19.6 17.5 12.2 18.0 23.1 19.5 29 19.2 16.6 21.2 13.4 7.7 18.2 19.4 17.3 24.0 30 21.5 15.3 196 7.9 13.7 31 16.1 13.4 13.0 20.4 3.7 15.7 11.7 6.3 12.5 3.8 1.4 10.2 7.1 6.3 8.7 10.2 32 1.4 0.4 4.6 3.3 3.0 2.5 5.1 6.6 33 3.4 0.4 0.1 1.6 1.9 2.7 0.7 1.7 1.1 34 1.0 0.4 0.1 0.4 0.2 0.8 0.1 35 02 1.1 0.1 0.1 0.3 02 36 & above 27.0 29.4 30.1 28.1 29.5 29.1 29.4 29.6 29.1 Average strength

^{1/} Fiber strength expressed in terms of 1/8" gage (grams per tex.)

^{*} Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through November 29, 2007

				November 29	, 2007				
UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPP
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	-		-
72.5-73.4	-	-	-	-	-	-	•	-	-
73.5-74.4	-	•	-	-	-	-	-	*	-
74.5-75.4	*	-	*	-	*	*	-	*	Ĭ.
75.5-76.4	0.5	*	*	*	*	0.1	-	*	*
76.5-77.4	3.0	0.3	0.1	*	0.9	1.9	*	0.6	0.7
77.5-78.4	10.5	2.5	1.0	0.1	6.0	8.4	0.9	4.8	3.6
78.5-79.4	23.7	12.7	5.4	0.6	20.5	23.1	3.8	19.7	12.1
79.5-80.4	29.8	26.9	16.7	3.4	33.3	35.0	16.0	30.1	24.7
80.5-81.4	21.2	33.2	35.4	20.8	25.7	22.1	34.9	24.2	30.2
81.5-82.4	9.2	19.8	33.6	41.6	10.4	7.3	35.4	14.6	22.0
82.5-83.4	1.9	4.3	7.2	21.1	2.7	1.9	8.7	5.2	6.2
83.5-84.4	0.2	0.3	0.5	10.2	0.4	0.1	0.3	0.7	0.4
84.5-85.4	*	-		2.1	*	*	*	*	*
85.5-86.4	-	-	_	0.1	_	-	_	-	_
86.5-87.4	-	-		*	-	-		-	-
87.5-88.4		_			_				-
88.5-89.4	_	_		_	_	_		-	_
89.5 & above	_	_	_	_	_	_		-	-
Average uniformity	79.9	80.7	81.2	82.2	80.2	80.0	81.3	80.4	80.7
TRASH 2/									
0.0	*	*		*	_	-	-	-	-
0.1	0.3	59.9	*	36.0	0.1	0.4	1.5	*	*
0.2	5.3	30.0	1.6	42.0	3.3	10.9	12.0	2.7	1.7
0.3	19.3	6.4	9.0	14.7	17.9	29.5	19.6	13.9	8.8
0.4	22.8	2.0	17.7	4.6	27.2	28.2	17.4	23.7	16.6
0.5	20.0	0.8	20.8	1.5	24.3	17.2	12.6	23.0	20.1
0.6	13.5	0.4	18.8	0.7	14.7	8.2	9.3	16.2	18.5
0.7	7.8	0.2	13.0	0.3	6.9	3.3	6.6	9.7	13.7
0.8	4.7	0.1	8.6	0.1	3.4	1.4	5.2	5.4	9.4
0.9	2.5	0.1	4.2	*	1.2	0.4	4.5	2.3	4.4
1.0	1.5	*	2.7		0.6	0.2	3.0	1.4	2.9
1.1	0.9	*	1.7		0.3	0.1	2.3	0.8	1.8
1.2	0.6	*	1.0	*	0.3	0.1	1.8	0.5	1.1
1.3	0.3	*	0.4	*	*	*	1.1	0.2	0.4
1.4	0.3	*	0.2		*	*	1.0	0.2	0.4
1.5	0.2	*	0.2		*	*	0.8	V. I	0.3
1.6	0.1	*	0.1			*	_		
1.6	0.1	*	*	-	*	*	0.6	*	0.1
1.7 1.8 & above		*		•	*	*	0.3	*	*
	0.1 0.50	0.16	0.50	0.20	0.40	0.40	0.4	0.53	0.50
Average trash	0.50	0.70	0.58	0.20	0.48	0.40	0.54	0.52	0.59

Average trash | 0.50 | 0.76 | 0.58 | 0.20 | 0.48 | 0.40 | 0.54 | 0.52 | 0.59 |

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through

				November 29	, 2007				
UNIFORMITY		NEW	NORTH		SOUTH			T	UNITED
AND TRASH	MISSOURI	MEXICO	CAROLINA	OKLAHOMA	CAROLINA	TENNESSEE	TEXAS	VIRGINIA	STATES
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	1	-	_
72.5-73.4	-	_		_					
73.5-74.4	_			-		*	*		*
74.5-75.4			_	*		*			*
75.5-76.4	*	*	0.1		0.3	0.4	0.1		0.1
76.5-77.4	0.2	0.3	0.4	0.2	1.6	2.3	0.6	*	0.7
77.5-78.4	1.3	1.7	2.5	1.3	9.6	8.3	3.2	0.4	3.6
78.5-79.4	6.1	10.2	8.8	6.4	24.7	20.2	10.1	2.6	11.6
79.5-80.4	18.4	24.1	19.8	18.5	29.1	30.8	21.9	10.8	22.7
80.5-81.4	32.5	31.6	30.3	35.1	21.6	24.6	29.7	28.7	29.1
81.5-82.4	30.0	22.9	26.4	28.7	10.1	10.7	22.5	34.9	22.8
82.5-83.4	10.3	8.4	10.3	8.6	2.7	2.5	9.6	18.7	7.7
83.5-84.4	1.1	0.8	1.4	1.0	0.3	0.3	2.2	3.7	1.4
84.5-85.4	121	0.0	*	1.0	*	0.5	0.2	0.2	0.2
85.5-86.4							V.2	0.2	*
86.5-87.4		-							*
87.5-88.4			-	-	-	-	1	-	
88.5-89.4	1	-	-	-	-	-	-	-	-
89.5 & above	1	-	-	-	-	-			-
Average uniformity	81.2	80.9	81.0	81.1	80.0	80.1	80.9	81.7	80.8
TRASH 2/									
0.0	-		*	*		-	*	*	*
0.1	0.9	57.5	0.2	18.6	0.3	0.1	25.0	0.2	10.3
0.2	6.1	32.1	4.8	42.3	5.7	4.0	27.9	5.5	13.6
0.3	13.2	8.1	16.4	20.4	20.9	16.2	13.4	21.1	14.2
0.4	18.6	1.7	21.4	8.5	24.8	24.5	8.6	26.3	16.1
0.5	17.6	0.5	19.5	4.0	18.7	21.6	7.4	21.5	15.0
0.6	13.6	0.1	14.8	2.2	12.4	15.4	6.0	13.2	11.6
0.7	8.7	*	9.4	1.3	7.1	8.3	4.5	6.6	7.6
0.8	6.3	*	5.7	0.8	4.3	4.6	2.8	3.1	4.8
0.9	4.4	_	3.2	0.6	2.4	2.2	1.6	1.3	2.5
1.0	3.4		1.9	0.4	1.4	1.2	1.0	0.6	1.6
1.1	2.5	_	1.1	0.2	0.9	0.7	0.7	0.3	1.0
1.2	1.8		0.7	0.2	0.5	0.4	0.4	0.2	0.6
1.3	1.2	-	0.3	0.1	0.3	0.2	0.2	0.1	0.3
1.4	0.8		0.2	0.1	0.2	0.1	0.2	*	0.2
1.5	0.5	*	0.1	*	0.1	0.1	0.1	*	0.1
1.6	0.2		0.1	*	*	*	0.1	*	0.1
1.7	0.2		*	*	*	*	0.1		*
	U.						W 1		
1.8 & above	0.2		0.1	*	*	*	0.1	*	0.1

^{1/} A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. *Less than 0.05 percent.

Table 22. - Quality of American Pima cotton classed for producers by State and United States through

Quality	Leaf	Arizona	November 29, 20 California	New	Texas	United
Designation	1		34.4	Mexico	16.0	States 33.3
	2		14.5		4.4	14.1
	3		0.2	-	-	0.2
01	4		*	-	-	*
	5		-	-	-	-
	6	-	-	-/	-	-
	7		-	-	-	-
Total	-		49.1	•	20.3	47.6
	1	100 -	14.2	-	24.4	14.4
	2		29.8	-	48.1	30.9
	3		4.1	-	3.9	4.2
02	4	1111	0.1	-	*	0.1
	5		*	-	-	*
	6		-	-	-	-
	7	-	-	-	-	-
Total	-	•	48.2	-	76.4	49.7
	1		0.2	-	0.1	0.1
	2	-	1.1	-	2.0	1.2
	3		0.7	-	1.1	0.8
03	4	-	0.2	-	0.1	0.2
	5		*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total		•	2.2	•	3.2	2.3
	1	-	*	-	-	*
	2		0.2	-		0.2
	3	-	0.1		*	0.1
04	4	-	0.1	1-	-	0.1
	5	-		-	-	*
	6		-	-	-	-
T-1-1	7	-	-	-	- *	-
Total	-	•	0.4	-	7	0.4
	1	-	*	-	-	*
1 7 7 7 7	2	-		-	-	
	3	-		-	-	
05	4			-	-	
	5	12 2 3	- 33 1 1 1 1		-	
	6 7	1100		7		
Total	1	-	0.1	-	-	0.1
TOTAL T	4	-	0.1	-	-	0.1
	1	THE REAL PROPERTY.		1		-
	2			2 1		
06	3 4			- 1	-	
00	5	4 7 1	*			
	6					
	7					
Total	-		*		-	*
7	1					
	2		*			
	3		*	APRIL DO	11 11 11 11 11 11 11 11 11 11	1 2 1 1 1
07	4					
01	5		*			
	6					
	7					
Total	-	-	*	-		*
STAPLE					-	
40 & shorter			*			
40 & snorter 42						*
44			5.9		9.0	6.1
46			49.2		64.4	49.9
48 & longer			44.8		26.7	44.0
Average		-	46.8		46.4	46.8
UNIFORMIT	/		70.0		70.7	70.0
72.4 & below						
72.5-73.4						
73.5-74.4			_			
74.5-75.4						
75.5-76.4		1 1				
76.5-77.4					_	
77.5-78.4		2				
77.5-78.4 78.5-79.4		2	*			
			0.1			0.1
78.5-79.4			0.6			0.6
78.5-79.4 79.5-80.4 80.5-81.4		-	0,0		0.1	3.4
78.5-79.4 79.5-80.4 80.5-81.4 81.5-82.4		-	3.5			J.4
78.5-79.4 79.5-80.4 80.5-81.4 81.5-82.4 82.5-83.4		-	3.5	3		10.1
78.5-79.4 79.5-80.4 80.5-81.4 81.5-82.4 82.5-83.4 83.5-84.4		-	20.1		1.2	19.1
78.5-79.4 79.5-80.4 80.5-81.4 81.5-82.4 82.5-83.4 83.5-84.4 84.5-85.4		-	20.1 49.7		1.2 22.4	48.3
78.5-79.4 79.5-80.4 80.5-81.4 81.5-82.4 82.5-83.4 83.5-84.4 84.5-85.4 85.5-86.4			20.1 49.7 22.1	:	1.2 22.4 70.7	48.3 24.4
78.5-79.4 79.5-80.4 80.5-81.4 81.5-82.4 82.5-83.4 83.5-84.4 84.5-85.4 85.5-86.4			20.1 49.7 22.1 3.8		1.2 22.4 70.7 5.5	48.3 24.4 4.0
78.5-79.4 79.5-80.4 80.5-81.4 81.5-82.4 82.5-83.4 83.5-84.4 84.5-85.4 85.5-86.4 86.5-87.4 87.5-88.4			20.1 49.7 22.1		1.2 22.4 70.7	48.3 24.4
78.5-79.4 79.5-80.4 80.5-81.4 81.5-82.4 82.5-83.4 83.5-84.4 84.5-85.4 85.5-86.4 86.5-87.4 87.5-88.4 88.5-89.4			20.1 49.7 22.1 3.8 0.2		1.2 22.4 70.7 5.5	48.3 24.4 4.0
78.5-79.4 79.5-80.4 80.5-81.4 81.5-82.4 82.5-83.4 83.5-84.4 84.5-85.4 85.5-86.4 86.5-87.4 87.5-88.4			20.1 49.7 22.1 3.8 0.2	-	1.2 22.4 70.7 5.5	48.3 24.4 4.0

^{*} Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through

Quality Designation	Arizona	November 29	New Mexico	Texas	United States
MIKE			Mexico		- Culto
24 & below	-				*
25 - 26			-		*
27 - 29	-	0.1	-		0.1
30 - 32	-	0.7	-	4	0.7
33 - 34	-	0.8		-	0.8
35 - 36	-	2.8		0.6	2.7
37 - 42	_	74.2		26.9	71.9
43 - 49		21.3		72.4	23.9
50 - 52	_	*			*
53 & above					
Average	-	41		44	41
ALL MIKE					
24 & below		*		-	
25					*
26					
27					
28					
29		0.1		1	0.4
30			-	-	0.1
	•	0.1	-		0.1
31		0.2	•	-	0.2
32		0.3	HILLERY THE STATE OF	-	0.3
33		0.4	-	-	0.3
34	-	0.5	-	-	0.5
35		0.9	-	-	0.8
36		1.9	-	0.6	1.9
37		4.0	-	1.6	3.8
38	-	7.9	-	1.3	7.6
39	4 - 4 - 1	14.4	-	1.7	13.7
40		17.9	-	5.0	17.3
41		16.8		7.4	16.3
42		13.3	_	9.9	13.1
43		9.7		12.5	9.9
44		6.3		8.7	6.5
45		3.5		14.3	4.1
46		1.4	-	16.8	2.1
			-		
47		0.3	-	16.1	1.0
48		0.1	7	3.8	0.2
49	-		*	0.2	
50	-		7	-	*
51	-	-	-	-	-
52		-	-		-
53	-	-	-	-	-
54		-	- 1	-	-
55		-	-	-	-
56	-	-	-	-	-
57		-	-		-
			-		-
		-			1
58					_
58 59			-	-	-
58 59 60 & above			-		41
58 59 60 & above <i>Average</i>	-	41	-	44	41
58 59 60 & above Average Strength	-	41	-	44	41
58 59 60 & above Average Strength 17 & below	-	41	-	44	41
58 59 60 & above <i>Average</i> Strength 17 & below 18	-	41	-	44	41
58 59 60 & above Average Strength 17 & below 18 19	-	41	:	44	41
58 59 60 & above Average Strength 17 & below 18 19 20		41	-	44	41
58 59 60 & above Average Strength 17 & below 18 19 20 21		41			41
58 59 60 & above Average Strength 17 & below 18 19 20 21 22		41			41
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23		41		44	41
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24		41			41
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25		41	-		41
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26		41			41
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27		41			41
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28		41			41
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29		41			41
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30		41			41
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29		41			41
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30					
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31					
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 32					
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34					
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35		0.2			
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36					
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37		0.2 0.6 1.5 3.5			
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38		0.2 0.6 1.5 3.5 8.7		0.1	
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39				0.1 0.5 3.7	
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40					0.2 0.6 1.4 3.4 8.3 14.4 18.8
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41				0.1 0.5 3.7 15.1 30.9	0.2 0.6 1.4 3.4 8.3 14.4 18.8 20.1
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42				0.1 0.5 3.7 15.1 30.9 20.9	0.2 0.6 1.4 3.4 8.3 14.4 18.8 20.1
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41					0.2 0.6 1.4 3.4 8.3 14.4 18.8 20.1 16.3 9.9
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42				0.1 0.5 3.7 15.1 30.9 20.9 14.4	0.2 0.6 1.4 3.4 8.3 14.4 18.8 20.1 16.3 9.9 4.7
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44				0.1 0.5 3.7 15.1 30.9 20.9 14.4	0.2 0.6 1.4 3.4 8.3 14.4 18.8 20.1 16.3 9.9
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above				0.1 0.5 3.7 15.1 30.9 20.9 14.4 12.1 2.2	0.2 0.6 1.4 3.4 8.3 14.4 18.8 20.1 16.3 9.9 4.7
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average				0.1 0.5 3.7 15.1 30.9 20.9 14.4	0.2 0.6 1.4 3.4 8.3 14.4 18.8 20.1 16.3 9.9 4.7 2.0
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average EXTRANEOUS MATTER		0.2 0.6 1.5 3.5 8.7 15.0 19.0 19.6 15.9 9.6 4.4 2.0		0.1 0.5 3.7 15.1 30.9 20.9 14.4 12.1 2.2	0.2 0.6 1.4 3.4 8.3 14.4 18.8 20.1 16.3 9.9 4.7 2.0
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average EXTRANEOUS MATTER Bark		0.2 0.6 1.5 3.5 8.7 15.0 19.0 19.6 15.9 9.6 4.4 2.0 40.5		0.1 0.5 3.7 15.1 30.9 20.9 14.4 12.1 2.2 41.7	0.2 0.6 1.4 3.4 8.3 14.4 18.8 20.1 16.3 9.9 4.7 2.0 40.6
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average EXTRANEOUS MATTER Bark Grass		0.2 0.6 1.5 3.5 8.7 15.0 19.0 19.6 15.9 9.6 4.4 2.0 40.5		0.1 0.5 3.7 15.1 30.9 20.9 14.4 12.1 2.2	0.2 0.6 1.4 3.4 8.3 14.4 18.8 20.1 16.3 9.9 4.7 2.0 40.6
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average EXTRANEOUS MATTER Bark Grass Spindle Twist		0.2 0.6 1.5 3.5 8.7 15.0 19.0 19.6 15.9 9.6 4.4 2.0 40.5		0.1 0.5 3.7 15.1 30.9 20.9 14.4 12.1 2.2 41.7	0.2 0.6 1.4 3.4 8.3 14.4 18.8 20.1 16.3 9.9 4.7 2.0 40.6
58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average EXTRANEOUS MATTER Bark Grass		0.2 0.6 1.5 3.5 8.7 15.0 19.0 19.6 15.9 9.6 4.4 2.0 40.5		0.1 0.5 3.7 15.1 30.9 20.9 14.4 12.1 2.2 41.7	0.2 0.6 1.4 3.4 8.3 14.4 18.8 20.1 16.3 9.9 4.7 2.0 40.6

Preparation
*Less than 0.05 percent.

